

TENDER NOTIFICATION FOR

**Procurement of Insulated Aerial work Platform with
tools for maintenance of overhead sections upto
11KV/ 33KV in various locations of BRPL**

NIT NO: CMC/BR/26-27/FK/PR/SL/1349

Tender Date: 10.04.2026

Due Date for Submission: 23.04.2026, 15:00 HRS

BSES RAJDHANI POWER LTD (BRPL)

Corporate Identification Number: **U74899DL2001PLC111527**

Telephone Number: +91 11 3009 9999

Fax Number: +91 11 2641 9833

Website: www.bsedelhi.com

S.No.	ITEM	DISCRIPTION
1.	CHECK LIST	CHECK LIST FOR BID SUBMISSION
2.	SECTIONS	
2.1	SECTION-I	REQUEST FOR QUOTATION (RFQ)
2.2	SECTION-II	INSTRUCTION TO BIDDERS (ITB)
2.3	SECTION-III	SPECIAL CONDITIONS OF CONTRACT (SCC)
2.4	SECTION-IV	GENERAL CONDITIONS OF CONTRACT (GCC)
2.5	SECTION-V	SCOPE OF WORK
2.5	SECTION-VI	PRICE BID
3.	APPENDIX	
3.1	APPENDIX-I	COMMERCIAL TERMS AND CONDITIONS – SUPPLY
3.2	APPENDIX-II	NO DEVIATION DECLARATION
3.4	APPENDIX-III	BID FORM
3.5	APPENDIX-IV	ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT
3.6	APPENDIX-V	FORMAT FOR EMD BANK GUARANTEE
3.7	APPENDIX-VI	LITIGATION HISTORY
3.8	APPENDIX-VII	CURRENT CONTRACT COMMITMENTS/ WORK IN PROGRESS
3.9	APPENDIX-VIII	FINANCIAL DATA
3.10	APPENDIX-IX	FORMAT FOR PERFORMANCE BANK GUARANTEE
3.11	APPENDIX-X	FORMAT FOR PRE BID QUERY SUBMISSION
4.	FORMATS	
4.1	EMD	EARNEST MONEY DEPOSIT (EMD) BANK GUARANTEE
4.2	PBG	PERFORMANCE BANK GUARANTEE (PBG)
4.3	NDD	NO DEVIATION DECLARATION (NDD)
4.4	COMMUNICATION	BIDDER'S COMMUNICATION DETAILS

CHECK LIST

(FOR BID SUBMISSION)

S. No	Item Description	Yes/ No	Page No
1	BID INDEX		
2	COVERING LETTER		
3	CHECK LIST		
3	TENDER FEE		
4	EARNEST MONEY DEPOSIT		
5	POWER OF ATTORNEY		
6	BID FORM DULY SIGNED		
7	NON-DISCLOSURE AGREEMENT (NDA)		
8	NO DEVIATION DECLARATION (NDD)		
9	UNPRICED TECHNO-COMMERCIAL BID (IN SEPARATE SEALED ENVELOPE-1)		
10	PRICE BID (IN SEPARATE SEALED ENVELOPE-2)		
11	COMPLETE BID DOCUMENTS, ENVELOPE 1 & 2 (IN SEPARATE SEALED ENVELOPE-3)		

SECTION- I
REQUEST FOR QUOTATION (RFQ)

BSES RAJDHANI POWER LIMITED NIT 1349

**SECTION-I
REQUEST FOR QUOTATION (RFQ)**

1. GENERAL

- 1.1. BSES Rajdhani Power Limited invites sealed tenders on a “Single Stage: Two Envelope” bidding basis (Envelope –I, Techno-Commercial Bid & Envelope-II, Price Bid) from eligible Bidders for “Procurement of Insulated Aerial work Platform with tools for maintenance of overhead sections upto 11KV/ 33KV in various locations of BRPL”.
- 1.2. The bidder must qualify the requirements as specified in heading “Qualifying Requirements” of this RFQ.
- 1.3. The sealed envelopes shall be duly super-scribed as:

NIT NO: CMC/BR/26-27/FK/PR/SL/1349 Dated: 10.04.2026

For

“PROCUREMENT OF ELECTRIC VEHICLES IN BRPL”

- 1.4. Schedule of the tendering process is given below. Detailed Specification, Scope of Work, Terms & Conditions, etc are mentioned in the Tender documents, which is available on our website.

Cost of Tender Documents (Non- Refundable)	Rs.1180/- (including GST)
Estimated Cost (Rs) with GST	Rs 2.77 Crs (with GST)
Earnest Money Deposit	Rs 5,54,000/-
Delivery	BRPL Store/Sites
Delivery Schedule / period	Within 10 Months from date of PO / LOI
Qty.	As per Section V
Tender documents on sale	10.04.2026 to 23.04.2026
Date & time of Submission of Bid	23.04.2026 till 15:00 HRS
Date & time of opening of Techno-Commercial Bid	23.04.2026 till 15:30 HRS

- 1.5. The tender document can be obtained from address given below against submission of non-refundable demand draft of **Rs.1180/-** drawn in favour of BSES Rajdhani Power Ltd, payable at Delhi:

Head of Department
Contracts & Material Dept.
BSES Rajdhani Power Limited
1st Floor, Tender Room, BSES Bhawan
Nehru Place, New Delhi -110019

The tender documents & detail terms and conditions can also be downloaded from the website “www.bsedelhi.com --> **Tenders** --> **BSES Rajdhani Power Ltd** --> **Open Tenders**”.

In case tender papers are downloaded from the above website, then the bidder has to enclose a demand draft covering the cost of bid documents.

1.6. Only DD shall be accepted for tender fees.

1.7. The tender documents will be issued on all working days up to the date mentioned in clause 1.3. The tender documents & detail terms and conditions can also be downloaded from the website www.bsedelhi.com. In case tender documents are downloaded from the above website, then the bidder has to enclose a separate demand draft covering the cost of bid documents.

2. POINTS TO BE NOTED

- 2.1. Works envisaged under this contract are required to be executed in all respects up to the period of completion/ duration of work mentioned above.
- 2.2. Only those agencies, who fulfil the qualifying criteria as mentioned in clause 3 should submit the tender documents.
- 2.3. BSES Rajdhani Power Ltd reserves the right to accept/reject any or all bids without assigning any reason thereof and alter/amend/modify/add/reduce the amount and quantity mentioned in the tender documents at the time of placing Order
- 2.4. The bid will be summarily rejected if:
 - (a) **Earnest Money Deposit (EMD)** and **Tender Fee** of requisite amount is not deposited as per tender conditions
 - (b) Bid received after due date and time.
 - (c) Complete technical details are not enclosed
 - (d) Technical offers contains any prices
 - e) The offer does not contain prices indicating break-up towards all taxes & duties in prescribed format
 - f) Prices are not firm and subject to Price Variation

3. EMD

- 3.1. The bidder shall furnish, as part of its bid, an EMD of the requisite amount. The EMD is required to protect the Company against the risk of Bidder's conduct which would warrant forfeiture. The EMD shall be denominated in any of the following forms:
 - (a) BG from nationalized / Scheduled Bank, as per the format annexed in the tender document, in favour of BSES Rajdhani Power Limited valid for 6(six) months from original due date of bid submission.
 - (b) Fixed Deposit (lien marked in favor of BSES RAJDHANI POWER LTD) valid for 6(six) months from original due date of bid submission.

3.2. Please note that bank details as given below have been provided only for the purpose of making BG for EMD.

Beneficiary Name : BSES Rajdhani Power Limited
Bank Name : State Bank of India (SBI)
A/c No. : 40214783615
IFSC Code : SBIN0009601

3.3. The EMD of the bidders who are not technically qualified shall be returned after the price bid opening.

3.4. Earnest money given by all the bidders who are techno commercially qualified except the lowest bidder shall be returned within 8 (Eight) weeks after award of the work.

3.5. The EMD of the successful bidder shall be returned on submission of Performance Bank Guarantee (PBG) as per tender terms.

3.6. The EMD may be forfeited in case of:

- a) The Bidder withdraws its bid during the period of bid validity specified by the Bidder in the Bid Form or
- b) The successful Bidder does not
 - (i) accept the Purchase Order/Purchase order, or
 - (ii) furnish the required PBG as per tender terms
- c) The bidder is found to have submitted false or forged, any of the documents/ certificates/ information.

4. QUALIFYING REQUIREMENTS (QR)

The prospective bidder must qualify all of the following requirements to be eligible to participate in the bidding. Bidders who meet following requirements will be considered as successful bidder and management has a right to disqualify those bidders who do not meet these requirements.

Technical Qualification Criteria

- 1) The Bidder should have supplied minimum 5 no's. of Aerial insulated platform along with vehicles to Discoms/Power utilities in India/ abroad.
 - Details of orders along with order, invoices and payment details.
- 2) The Bidder should have satisfactory working performance certificates of Insulated Aerial work Platform supplied to Power utilities for minimum period of 2 years in India or minimum 5 years in abroad.
 - Performance Certificate issued by clients on their letterhead.
- 3) The Bidder should have Valid Type Test report of the Insulated Aerial Work Platform along with vehicle and associated Tools and report should not be more than 5 years old as on date of issue of tender.
 - Details to be enclosed along with certificates.
- 4) The Bidder should have (i) Functional office setup for sales & after sales services in India in which there should be well trained trainers & Service engineers for after sales services if it is foreign manufacturer or (ii) Own manufacturing unit and office setup for sales & after sales services in India in which there should be well trained trainers & service engineers for after sales services if its a Indian manufacturer or(iii) Functional

office setup for sales & after sales services in India in which there should be well trained trainers & service engineers for after sales services if it is an authorized distributor or dealer of Indian/Foreign Manufacturer.

- Undertaking on Bidder's letterhead with authorized signature, contact details signed and stamp.

- 5) The Bidder should attach the Purchase order copies along with tender document as a supporting document.
- Order copies issued to bidder by clients.

Commercial Qualification Criteria

The bidder can be OEM or their Authorized channel partner, must fulfill the followings:

- 1) The bidder must have cumulative turnover of Rs. 8 Crores or more during the last three financial years (2023-24, 2024-25 and 2025-26).
 - Audited Balance Sheets duly certified by CA to be submitted. Bidder has to also submit UDIN based CA certificate / financial statement as proof of the same.
 - In case audited balance sheet of FY: 2025-26 is not available, then bidder can submit provisional balance sheet of FY: 2025-26 along with UDIN based CA Certificate.
- 2) The bidder should have positive net worth as on the last day of the preceding financial year on the date of bid submission.
 - The bidder shall submit the Certificate of Net Worth duly certified by Chartered Accountant for the last financial year i.e. FY 2024-25. The Net worth certificate must have UDIN Number.
- 3) Entities that have been currently debarred/blacklisted by any Private/central/state government institution including electricity boards in India, any of the DISCOM in India, lacks qualifying pre-requisites to participate in this tender will not be considered. Accordingly an undertaking by the Authorized Person along with other documents to be provided by the bidder on its letter head in this regard, confirming in clear terms, that the contractor has not been debarred/blacklisted as on the date of submission of the bid. Bidders who is currently debarred/ blacklisted/ suspended by BRPL will not be considered in this tender.
 - Undertaking on Bidder's letterhead
- 4) Bidder should be registered company in India for supplying Aerial insulated platform under the Indian Companies Act 1956 and should have a valid registered office in India with a valid PAN and GST Registration.
 - Copy of certificate of PAN and GST Registration.
- 5) The bidder should submit an undertaking for "No Litigation" / no legal case is pending with BRPL or its Group Companies. Bidders having any litigation/ legal case pending with BRPL shall not be considered qualified for this tender.
 - Undertaking on Bidder's Letterhead
- 6) The bidder should give an undertaking by the Authorized Person on their letterhead that all the documents/certificates/information submitted by them against the tender are genuine/true/correct and the copies of documents have been made from the original document/s. Further, in case any of the documents/certificates/information submitted by

the bidder is found to be false or forged, BRPL at its sole discretion shall be free to take all actions as permitted under law, including forfeiture of EMD and disqualification from participation in the future tenders of BRPL & Its group companies for indefinite period or period as may be decided by BRPL.

- Undertaking on Bidder's Letterhead

The bidder shall submit all necessary documentary evidence to establish that the Bidder meets the above qualifying requirements.

Please Note:

- a) Firms who are debarred/ blacklisted in BRPL in the past & other utilities in India will not be considered.
- b) Company reserves the right to carry out technical capability/ infrastructure assessment of the Bidders by office inspection or by any other means and company's decision shall be final in this regard.
- c) No joint ventures/ consortiums are allowed.

Also, the Bidder shall furnish the following commercial & technical information along with the tender:

- a) Last three Financial Years (FY 2023-24, 2024-25 and 2025-26) financial statement
- b) Bidder to submit UDIN based CA Certificate mentioning no dues pending as on date for all the statutory compliance like GST etc.
- c) Details of constitution of the company (Proprietary/ Limited. Along with details)
- d) Memorandum & Articles of Association of the Company
- e) Organization Chart of the company
- f) Experience details with credentials
- g) No of Employees detail
- h) Premises Detail and addresses across India.
- i) Income Tax return for last 3 years

Notwithstanding anything stated above, BRPL reserves the right to assess bidder's capability to perform the contract, assess the capability and installed capacity of the Bidder for carrying out the supplies, should the circumstances warrant such assessment in the overall interest of the purchaser. In this regard the decision of the purchaser is final.

Bidders already qualified against previous tenders for similar requirement ALSO NEED TO SUBMIT the documents in support of qualification criteria.

5. **PRE-BID MEETING:**

A pre-Bid meeting shall be organised physically or digitally (through web conferencing platform) at the time and date as specified in the tender documents in the presence of those bidders or their authorized representatives who may choose to be present.

The details of the proposed WebEx meeting (if applicable) are given below: -

Monday, April 13, 2026 2:30 PM | 4 hours 30 minutes | (UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi

Link:

NIT - 1349 Procurement of Insulated Aerial work Platform with tools for maintenance of overhead sections in BRPL

<https://bsesbrpl.webex.com/bsesbrpl/j.php?MTID=m71daeefe960eacb75d168032fcaa8de8>

Meeting number: 2511 134 0172

All queries related to this tender must reach to C&M Department of BRPL at least three days before the date of the pre- bid meeting. All the bidder's queries shall be replied to in the pre-bid meeting. In case any change is required in the tender document the same shall be affected in the form of corrigendum to this tender. The bidder or their representatives who intend to bid and who have either purchased tender documents or will pay tender fees for downloaded documents are invited to attend the pre-bid meeting. Corrigendum, if any, to the tender document shall be hosted on the website subsequent to the pre-bid meeting. Bidders are requested to submit their offer strictly in line with this tender document& corrigendum if any.

6. BID SUBMISSION

- 6.1. The bidders are required to submit the bid in 2(two) parts and in original & duplicate (total 2 copies) at the following address:

**Head of Department,
Contracts & Material Department,
BSES Rajdhani Power Limited,
1st Floor, Tender Room,
BSES Bhawan, Nehru Place,
New Delhi-110019.**

- 6.2. Technical bid documents along with commercial terms and conditions shall also be submitted in Pen Drive. **No price bid shall be submitted in Pen Drive.** The PEN Drive should be owned by Bidder. The bidder shall ensure that the Pen Drive is free from all viruses/malware. The pen drive once submitted shall not be returned.
- 6.3. This is a two part bid process. Bidders are to submit the bids in 2(two) parts. Both these parts should be furnished in separate sealed covers super scribing **NIT no. DUE DATE OF SUBMISSION, with particulars as PART-A Techno-Commercial Bid and Part-B PRICE BID** and these sealed envelopes should again be placed in another sealed envelope which should be super scribed with —“**Tender Notice No.& Due date of opening**“. The same shall be submitted before the due date & time specified.

6.3.1 PART A: TECHNO-COMMERCIAL BID, UNPRICED (Envelop-1):

The first sealed envelope shall contain an Unpriced Techno-commercial bid in paper form (hard copies) and envelope super-scribing **PART-A Techno-Commercial Bid**. The details to be submitted in techno-commercial bids are given below:

- a) General information about bidder
- b) Documentary evidence in support of all the qualifying criteria as per clause 4.0,
- c) EMD of requisite amount
- d) Non-refundable separate demand draft for Rs. 1180/- In case the forms are downloaded from the website
- e) Technical Literature if any.
- f) Technical Details / Filled in GTP/Type test report etc
- g) Testing Facilities
- h) Details of experience of works of the same or similar nature. Copies of Orders, Execution /Performance Certificate & Other Documents to support the QC as per clause 2.0
- i) Power of attorney
- j) Acceptance to Commercial Terms and Conditions viz Delivery schedule/period, Payment terms, BG etc
- k) No Deviation Declaration
- l) Any other relevant document to support bidder meeting QR
- m) Original Tender documents duly stamped & signed on each page as token of acceptance
- n) Qualified Manpower available & Organization chart

Techno-Commercial Bid should not contain any cost information whatsoever and shall be submitted within the due date. After techno-commercial evaluation, the list of techno-commercially qualified bidders will be posted immediately on the BSES website.

The bidder should submit complete tender document along with all corrigendum (if any) published against this NIT at our website, signed and stamped with bidder's seal as an acceptance of all the terms & conditions of the Tender.

6.3.2 PART B: PRICE BID (Envelop-2):

The second sealed envelope shall contain Price bids in paper form (hard copies and envelope super-scribing **PART-B Price Bid** on it. The details to be submitted in the Price bid are given below:

- (a) **PRICE BID** shall Comprise of Prices **strictly** in the Format enclosed in SECTION VI. Any change in price bid format, content may lead to rejection of the bid.
- (b) Price Bid will be opened after techno-commercial evaluation of all the bids and only of the qualified bidders.

6.3.3 FINANCIAL BID EVALUATION THROUGH REVERSE AUCTION:

The company reserves the right to conduct Reverse Auction (RA) for finalization of contract hence the details of the price bid shall not be shared with bidders. The qualified bidders will participate in reverse auction through SAP-SRM tool. The RA process shall be governed by the terms and conditions enclosed as Annexure-IV in this tender

document. Training/details shall be provided to bidders before participation in auction. In case RA is not conducted /concluded for any reasons, a "final no regret" financial bid in a sealed envelope will be called for from all qualified bidders. Notwithstanding anything stated above, the Company reserves the right to assess bidders' capability to perform the contract, should the circumstances warrant such assessment in the overall interest of the Company. In this regard, the decision of the Company shall be final and binding on the bidders.

Notwithstanding anything stated above, the Purchaser reserves the right to assess bidder's capability to perform the contract, should the circumstances warrant such assessment in the overall interest of the purchaser. In this regard the decision of the purchaser is final.

BIDS RECEIVED AFTER DUE DATE AND TIME MAY BE LIABLE TO REJECTION

7 TIME SCHEDULE

The activities and their timelines are given hereunder which needs to be adhered by the bidders.

S. No	Activity	Description	Due date
1	Submission of Technical & Commercial Queries, if any	All Queries related to NIT submit in excel format as per APPENDIX-X at sanjeev.latwal@reliancegroupindia.com Bhaskar.chattopadhyay@reliancegroupindia.com Amitava.nandi@reliancegroupindia.com	Upto Monday, 13.04.2026, 14:00 HRS
2	Pre-Bid Meeting	Discussion on pre-bid queries Date & Time: Monday April 13, 2026 2:30 PM Link: https://bsesbrpl.webex.com/bsesbrpl/j.php?MTID=m71daeefe960eacb75d168032fcaa8de8 Meeting number: 2511 134 0172	Monday 13.04.2026; 14:30 Hrs
3	Submission of Techno-Commercial & Price Bid	Unpriced Techno-Commercial & Price Bid in separate sealed envelopes	Thursday, 23.04.2026; 15:00 Hrs
4	Opening of Techno-Commercial Bid	Opening of PART-A	Thursday, 23.04.2026; 15:30 Hrs
5	Opening of Price Bid	Opening of PART-B of only the techno-commercially qualified bidders (List of bidders will be published at our website)	To be informed separately
6	Reverse Auction (If required)	As per RA terms	Schedule will be intimated to eligible bidders through email from email id: BRPL.Eauction@reliancegroupindia.com

8 AWARD DECISION

- 8.1. Company intends to award the business on a lowest bid basis, so bidders are encouraged to submit the bid competitively. The decision to place order/LOI solely depends on Company on the cost competitiveness across multiple lots, quality, delivery and bidder 's capacity, in addition to other factors that Company may deem relevant.
- 8.2. The Company reserves all the rights to award the contract to one or more bidders who meet the execution requirement or nullify the award decision without assigning any reason thereof.
- 8.3. Qty Variation: The Company reserves the rights to vary the quantity by (+/-) any extent of the tender quantity.
- 8.4. In case the performance of any bidder is found unsatisfactory during the delivery process, the award will be cancelled and BRPL reserves the right to award the work to another bidder(s) who will be found eligible/fit.
- 8.5. The abnormally higher or abnormally lower bids shall not be considered with respect to estimated cost. The criteria decided by BRPL on this shall be final and binding on the bidders.
- 8.6. The bidding firms are advised to quote their Margin / Administrative Service Charges accordingly. BRPL reserves the right to reject the bids quoted with abnormally higher or abnormally lower individual activity rates. The criteria decided by BRPL on this shall be final and binding on the bidders and will not be open for discussion under any circumstances.
- 8.7. In the event of your bid being selected by company (and / or its affiliates) and you subsequent DEFAULT on your bid; you will be required to pay purchaser (and / or its affiliates) an amount equal to the difference in your bid and the next lowest bid on the quantity declared in NIT/RFQ.

9 MARKET INTEGRITY

We have a fair and competitive marketplace. The rules for the bidders are outlined in the Terms & Conditions of the tender documents. Bidders must agree to these rules prior to participating in the tender. In addition to other remedies available, we reserve the right to exclude a bidder from participating in future markets due to the bidder's violation of any of the rules or obligations contained in the Terms & Conditions. Bidder(s) who violate the marketplace rules or engage in behavior that disrupts the fair execution of the marketplace restricts a bidder from participation in future tenders of BRPL to a length of time as decided by BRPL, depending upon the seriousness of the violation. Examples of violations include, but are not limited to:

- Failure to honor prices submitted to the market place.
- Breach of the terms published in Request for Quotation/NIT
- Misrepresentation of facts, submitting false and fabricating documents

10 CONFIDENTIALITY

All information contained in this tender document is confidential and shall not be disclosed, published or advertised in any manner without written authorization from BRPL. This includes all bidding information submitted.

All tender documents remain the property of BRPL and all bidders are required to return these documents to BRPL upon request.

Bidder(s) who do not honor these confidentiality provisions will be excluded from participating in future bidding events.

The bidder shall sign a Non-Disclosure Agreement (NDA) in the format attached in tender document and submit along with its bid.

11 CONTACT INFORMATION

Technical & Commercial clarification, if any, regarding this tender shall be sought in writing and sent by e-mail to the following e-mail IDs:

Address	Name & Designation	E-mail Address / Phone Number
BSES Rajdhani Power Ltd C&M Dept, 1 st Floor, Tender Room, BSES Bhawan, Nehru Place, New Delhi 110019	Technical	
	Smt Supriya Raina (CES Dept)	Supriya.raina@reliancegroupindia.com /011-49107578
	Sh Uttam Shukla (O&M Dept)	Uttam.shukla@reliancegroupindia.com /011-49107324
	All technical queries shall also be marked copy to Commercial team as per the details below.	
	Commercial	
	Mr. Sanjeev Latwal Sr Manager – (C&M)	Sanjeev.Latwal@reliancegroupindia.com / 011-4920 9281
	Mr. Bhaskar Chattopadhyay AsVP – (C&M)	Bhaskar.Chattopadyay@reliancegroupindia.com / 011-4910 7402
	Mr. Amitava Nandi Head(Contracts)– C&M	Amitava.Nandi@reliancegroupindia.com / 011-4920 9619

SECTION-II : INSTRUCTIONS TO BIDDERS (ITB)

1. GENERAL

BSES Rajdhani Power Ltd (BRPL), hereinafter referred to as the “Company” is desirous for awarding work of “Procurement of Insulated Aerial work Platform with tools for maintenance of overhead sections upto 11KV/ 33KV in various locations of BRPL” as notified in this tender document.

- 1.1 All the Bids shall be prepared and submitted in accordance with these instructions.
- 1.2 Bidder shall bear all costs associated with the preparation and delivery of its Bid, and the Company will in no case shall be responsible or liable for these costs.
- 1.3 The Bid should be submitted by the Bidder in whose name the bid document has been issued and under no circumstances it shall be transferred /sold to the other party.
- 1.4 The Company reserves the right to request for any additional information/documents and also reserves the right to reject the proposal of any Bidder, if in the opinion of the Company, the data in support of RFQ requirement is incomplete.
- 1.5 The Bidder is expected to examine all instructions, forms, terms & conditions and specifications in the Bid Documents. Failure to furnish all information required in the Bid Documents or submission of a Bid not substantially responsive to the Bid Documents in every respect may result in rejection of the Bid. However, the Company’s decision in regard to the responsiveness and rejection of bids shall be final and binding without any obligation, financial or otherwise, on the Company.
- 1.6 The company reserves the right to split the order among various successful bidders in any manner it chooses without assigning any reason whatsoever.

2. SCOPE OF SUPPLY

Detailed Technical specification/scope of supply is provided in Section-V of this tender document.

3. DISCLAIMER

- 3.1. This NIT is not an agreement and further it is neither an offer nor an invitation by BRPL to bidders or any other person for award of contract. The purpose of this NIT is to provide bidders information that may be useful to them in the preparation and submission of their bids.
- 3.2. This Document includes statements, which reflect various assumptions, which may or may not be correct. Each Bidder should conduct its own estimation and analysis and should check the accuracy, reliability and completeness of the information in this Document and obtain independent advice from appropriate sources in their own interest.
- 3.3. Neither Company nor its employees will have any liability whatsoever to any Bidder or any other person under the law or contract, the principles of restitution or unjust enrichment or otherwise for any loss, expense or damage whatsoever which may arise from or be incurred or suffered in connection with anything contained in this Document, any matter deemed to form part of this Document, provision of Services and any other information

supplied by or on behalf of Company or its employees, or otherwise arising in any way from the selection process for the Work.

- 3.4. Though adequate care has been taken while issuing the Tender document, the Bidder should satisfy itself that Documents are complete in all respects. Intimation of any discrepancy shall be given to this office immediately.
- 3.5. This Document and the information contained herein are Strictly Confidential and are for the use of only the person(s) to whom it is issued. It may not be copied or distributed by the recipient to third parties (other than in confidence to the recipient's professional advisors).
- 3.6. It shall be deemed that by submitting a bid, a bidder agrees to release BRPL and its employees, agents and advisors irrevocably unconditionally fully and finally from any and all liability for any claims losses damages costs expenses or liabilities in anyway related to or arising from exercise of any rights and all performance of any obligations under this NIT and or in connection with the bid process to the fullest extent permitted by applicable law and waives any and all rights and all claims it may have in this respect whether actual or contingent whether present or in the future
- 3.7. BRPL and its employees and advisors also accept no liability of any nature whether resulting from negligence or otherwise arising from reliance of any bidder upon the contents of this NIT. BRPL may in its absolute discretion but without being under any obligation to do so, update amend or supplement the information assessment statement or assumptions contained in this NIT.
- 3.8. The issue of this tender document does not imply that BRPL is bound to qualify any bidder or to award the contract to any bidder. BRPL reserves the right to reject all or any of the bids without assigning any reasons whatsoever.

4. COST OF BIDDING

The Bidder shall bear all cost associated with the preparation, submission and processing of its Bid and the company will in no case be responsible or liable for the costs.

5. TENDER DOCUMENTS

- 5.1. The Scope of supply, Bidding Procedures and Contract Terms are described in the Bidding Documents. In addition to the covering letter accompanying Bidding Documents, the Bidding Documents include:

“Check List, Sections, Annexure & Formats as elaborated in CONTENT of this NIT.”

- 5.2. The bidder is expected to examine the tender documents, including all Instructions, Forms, Terms and Specifications. Failure to furnish all information required by the tender documents or submission of a bid not substantially responsive to the tender documents in every respect may result in the rejection of the Bid.

6. AMENDMENT OF TENDER DOCUMENTS

- 6.1. At any time prior to the deadline for submission of Bids, the Company may for any reason(s), whether at its own initiative or in response to a clarification requested by a prospective Bidder, alter/amend/modify the tender documents by corrigendum /amendment.
- 6.2. The corrigendum / amendment shall be part of tender document, pursuant to Clause 5.1, and it will be notified
- (a) by way of uploading the corrigendum/amendment on BSES website (in case of public tender),
 - (b) in writing by e-mail to all the Bidders who have received the Bidding Documents by email. (in case of limited tender)
- All such corrigendum & amendments will be binding on the bidders.
- 6.3. In order to provide prospective Bidders a reasonable time in which to take the Amendment into account in preparing their Bids, the Company may, at its discretion, extend the deadline for the submission of Bids.

7. PREPARATION OF BIDS & LANGUAGE

The Bid prepared by the Bidder, and all correspondence, documents etc. relating to the Bid exchanged by the Bidder and the Company shall be written in English Language. Any printed literature furnished by the Bidder may be written in another Language, provided that this literature is accompanied by English translation, in which case, for purposes of interpretation of the Bid. In case of ambiguity in the English translation, interpretation of the Company as regards to translation will be final.

8. DOCUMENTS COMPRISING THE BID

The Bid prepared and submitted by the Bidder shall comprise the following components:

- (a) Techno-Commercial Bid & Price Bid as elaborated in RFQ. (STRICTLY AS PER FORMAT)
- (b) All the Bids must be accompanied with the required EMD & Tender Fees against each tender.

9. BID FORM

The Bidder shall complete "Original" Bid Form and submit it along with details mentioned in Techno-Commercial bid (without filling price).

10. BID PRICES

- 10.01 Bidders shall quote for the entire Scope of Supply/Work with a break-up of prices for individual items and Taxes & Duties. The total Bid Price shall also cover all the Supplier's obligations mentioned in or reasonably to be inferred from the Bidding Documents in respect of Design, Supply, Transportation to site, all in accordance with the requirement of Bidding Documents. The Bidder shall complete the appropriate Price Schedules included herein, stating the Unit Price for each item & total Price with taxes, duties & freight upto destination.

- 10.02 The prices offered shall be inclusive of all costs as well as Duties, Taxes and Levies paid or payable during execution of the supply work, breakup of price constituents, should be there.
- 10.03 Prices quoted by the Bidder shall be “**Firm**” and not subject to any price adjustment during the performance of the Contract. **A Bid submitted with an adjustable price/ Price Variation Clause will be treated as non -responsive and rejected.**
- 10.04 The qty break-up shown else-where in Price Schedule is tentative. The bidder shall ascertain himself regarding material required for completeness of the entire work. Any item not indicated but is required to complete the job, shall be deemed to be included in the prices quoted.

11. BID CURRENCY

Prices shall be quoted in Indian Rupees Only.

12. PERIOD OF VALIDITY OF BIDS

- 12.1. Bids shall remain valid & open for acceptance for a period of 180 days from the date of opening of the Bid.
- 12.2. Notwithstanding above, the Company may solicit the Bidder’s consent to an extension of the Period of Bid Validity and the bidder shall be liable to extend the same at the sole cost and consequences of the bidder and no claim from the company in this regard shall be maintainable.

13. ALTERNATIVE BIDS

Bidders shall submit Bids, which comply with the Tender Documents. Alternative Bids will not be considered. The attention of Bidders is drawn to the provisions regarding the rejection of Bids in the terms and conditions, which are not substantially responsive to the requirements of the Tender Documents.

14. FORMAT AND SIGNING OF BID

- 14.1. The original Bid Form and accompanying documents (as specified in Clause 9.0), clearly marked "Original Bid", must be received by the Company at the date, time and place specified in Section-I, RFQ.
- 14.2. The original copy of the Bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to sign on behalf of the Bidder. Such authorization shall be indicated by written Power-of-Attorney accompanying the Bid. All pages of the bid shall be signed by the signatory accompanied with seal of the Agency.
- 14.3. The Bid shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by the Bidder, in which case such corrections shall be signed by the person or persons signing the Bid.

15. SEALING AND MARKING OF BIDS

- 15.1. Bid submission: One original (hard copies) and one duplicate (total two copies) of all the Bid Documents shall be sealed and submitted to the Company before the closing time for submission of the bid.
- 15.2 The Technical Documents and the EMD shall be enclosed in a sealed envelope and the said envelope shall be super scribed with — “Technical & EMD“. The price bid shall be inside another sealed envelope with super scribed “Financial Bid “. Both these envelopes shall be sealed inside another big envelope. All the envelopes should bear the Name and Address of the Bidder and marking for the Original, Copy-1, and the envelopes should be super scribed with — “Tender Notice No. & Due date of opening“.
- 15.2. The Bidder has the option of sending the Bids in person. Bids submitted by Email/Telex/Telegram /Fax will be rejected. No request from any Bidder to the Company to collect the proposals from Courier/Airlines/Cargo Agents etc shall be entertained by the Company.

16. DEADLINE FOR SUBMISSION OF BIDS

- 16.1. The Original bid must be timely received by the company at the address specified in Section –I, RFQ.
- 16.2. The Company may, at its discretion extend the deadline for the submission of bids by amending the Tender Documents in accordance with Clause 6.0, in which case all rights and obligations of the Company and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

17. ONE BID PER BIDDER

Each Bidder shall submit only one Bid by itself. A Bidder who submits or participates with more than one Bid will cause all those Bids to be rejected.

18. LATE BIDS

Any Bid received by the Company after the deadline for submission of Bids prescribed by the Company, pursuant to Clause 16.0, will be declared "Late" and rejected and returned unopened to the Bidder.

19. MODIFICATIONS AND WITHDRAWAL OF BIDS

The Bidder is not allowed to modify or withdraw its Bid after the due date of bid submission.

20. EVALUATION OF BID

- 20.1. The bids will be evaluated techno-commercially on compliance to tender terms and Conditions.
- 20.2. BRPL reserves the right to ask the bidders to provide any additional information including breakup of the prices as quoted by them against line items.

21. CLARIFICATION OF BIDS

To assist in the examination, evaluation and comparison of Bids, the Company may, at its discretion, ask the Bidder for a clarification of its Bid. All responses to requests for clarification shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted

22. PRELIMINARY EXAMINATION OF BIDS / RESPONSIVENESS

- 22.1. Company will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order.
- 22.2. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price per item that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price per item will be corrected. If there is a discrepancy between the Total Amount and the sum of the total price per item, the sum of the total price per item shall prevail and the Total Amount will be corrected.
- 22.3. Company will determine the substantial responsiveness of each Bid to the Tender Documents including execution capability and acceptable quality of the services offered. A substantially responsive Bid is one, which conforms to all the terms and conditions of the Tender Documents without deviation.
- 22.4. Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

23. EVALUATION AND COMPARISON OF BIDS

- 23.1. The evaluation of Bids shall be done based on the delivered cost competitiveness basis.
- 23.2. The evaluation of the Bids shall be a stage-wise procedure. The following stages are identified for evaluation purposes: In the first stage, the Bids would be subjected to a responsiveness check later on the Techno-Commercial Proposals and the Conditionality of the Bidders would be evaluated.

Subsequently, the Financial Proposals along with Supplementary Financial Proposals, if any, of Bidders with Techno-commercially Acceptable Bids shall be considered for final evaluation.

- 23.3. The Company's evaluation of a Bid will take into account, in addition to the Bid price, the following factors, in the manner and to the extent indicated in this Clause:
- Delivery schedule
 - Conformance to Qualifying Criteria
 - Deviations from Tender Documents
 - Conformity and compliance to the conditions/details provided in pre-bid meeting
 - Change in the quantity from mentioned in the tender

- 23.4. The cost of all quantifiable deviations and omissions from the specification, terms and conditions specified in Tender Documents shall be evaluated.
- 23.5. The Company will make its own assessment of the cost of any deviation for the purpose of ensuring fair comparison of Bids.
- 23.6. Adjustments in price, if any, based on the above procedures, shall be made for the purposes of comparative evaluation only to arrive at an "Evaluated Bid Price". Bid Prices quoted by Bidders shall remain unaltered.

24. CONTACTING THE COMPANY

- 24.1. From the time of Bid opening to the time of contract award, if any Bidder wishes to contact the Company on any matter related to the Bid, it should do so in writing.
- 24.2. Any effort by a Bidder to influence the Company and/or in the Company's decisions in respect of Bid evaluation, Bid comparison or Contract Award, will result in the rejection of the Bidder's Bid.

25. COMPANY'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS

The Company reserves the right to accept or reject any Bid and to annul the Bidding process and reject all Bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Company's action.

26. AWARD OF CONTRACT

The Company will award the Contract to the successful Bidder whose Bid has been determined to be the lowest-evaluated responsive Bid, provided the Bidder has been determined to be qualified to satisfactorily perform the Contract. Company reserves the right to award order to other bidders in the tender, provided it is required for need of the work.

27. THE COMPANY'S RIGHT TO VARY QUANTITIES

The Company reserves the right to vary the quantity i.e. increase or decrease the Numbers/ quantities without any change in terms and conditions before the award of Contract.

28. LETTER OF INTENT/ NOTIFICATION OF AWARD

The letter of intent/ Notification of Award shall be issued to the successful Bidder whose bids have been considered successful for award of supply/work/order.

The successful Bidder(s) shall be required to furnish acceptance of LOI / notification of award within 7 days of issue of the letter of intent /Notification of Award by Company.

29. CORRUPT OR FRAUDULENT PRACTICES

29.1. The Company requires that the Bidders observe the highest standard of ethics during the entire period of work execution under the Contract. In pursuance of this policy, the Company:

(a) Defines, for the purposes of this provision, the terms set forth below as follows:

"Corrupt practice" means behaviour on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves and/or those close to them, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; and "Fraudulent practice" means a misrepresentation of facts in order to influence a award process or the execution of a contract to the detriment of the Company, and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive the Company of the benefits of free and open competition.

(b) Will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;

(c) Will declare a firm ineligible either indefinitely or for a stated period of time, to be awarded a contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a contract.

29.2. Furthermore, It shall be the responsibility of the Bidders to read and understand & aware of the provision stated in the Terms and Conditions of tender before participating in the tender.

30. PROCESS TO BE CONFIDENTIAL

Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process. Any effort by a Bidder to influence the Company's processing of Bids or award decisions may result in the rejection of the Bidder's Bid.

SECTION III
SPECIAL CONDITIONS ON SUPPLY (SCS)

BSES RAJDHANI POWER LIMITED NIT 1349

SECTION III
SPECIAL CONDITIONS ON CONTRACT (SCC)

These Special Conditions of Contract (SCC) shall be read in conjunction with the Terms and Conditions of the Contract, General Conditions of Contract (GCC), Scope of Supply / Work and other documents forming part of the contract wherever the context so requires. Notwithstanding the subdivision of documents into separate sections and volumes, every part of each such document shall be deemed to be supplementary to and complementary of every other part.

- 1.01 All the Bids shall be prepared and submitted in accordance with these instructions.
- 1.02 Bidder shall bear all costs associated with the preparation and delivery of its Bid, and the Purchaser will in no case shall be responsible or liable for these costs.
- 1.03 The Bid should be submitted by the Bidder in whose name the bid document has been issued and under no circumstances it shall be transferred /sold to the other party.
- 1.04 The Purchaser reserves the right to request for any additional information and also reserves the right to reject the proposal of any Bidder, if in the opinion of the Purchaser, the data in support of RFQ requirement is incomplete.
- 1.05 The Bidder is expected to examine all instructions, forms, terms & conditions and specifications in the Bid Documents. Failure to furnish all information required in the Bid Documents or submission of a Bid not substantially responsive to the Bid Documents in every respect may result in rejection of the Bid. However, the Purchaser's decision in regard to the responsiveness and rejection of bids shall be final and binding without any obligation, financial or otherwise, on the Purchaser.

2.0 DEFINITION OF TERMS

- 2.01 "Purchaser/Company" shall mean BSES Rajdhani Power Limited, on whose behalf this bid enquiry is issued by its authorized representative / officers.
- 2.02 "Bidder" shall mean the firm who quotes against this bid enquiry issued by the Purchaser. "Supplier" or "Supplier" shall mean the successful Bidder and/or Bidders whose bid has been accepted by the Purchaser and on whom the "Letter of Acceptance" is placed by the Purchaser and shall include his heirs, legal representatives, successors and permitted assigns wherever the context so admits.
- 2.03 "Supply" shall mean the Scope of Contract as described.
- 2.04 "Specification" shall mean collectively all the terms and stipulations contained in those portions of this bid document known as RFQ, Commercial Terms & Condition, Instructions to Bidders, Technical Specifications and the Amendments, Revisions, Deletions or Additions, as may be made by the Purchaser from time to time.
- 2.05 "Letter of Acceptance" shall mean the official notice issued by the Purchaser notifying the Supplier that his proposal has been accepted and it shall include amendments

thereto, if any, issued by the Purchaser. The "Letter of Acceptance" issued by the Purchaser shall be binding on the "Supplier" The date of Letter of Acceptance shall be taken as the effective date of the commencement of contract.

- 2.06** "Month" shall mean the calendar month and "Day" shall mean the calendar day.
- 2.07** "Codes and Standards" shall mean all the applicable codes and standards as indicated in the Specification.
- 2.08** "Offer Sheet" shall mean Bidder's firm offer submitted to BRPL in accordance with the specification.
- 2.09** "Contract" shall mean the "Letter of Acceptance/Purchase Order" issued by the Purchaser/Company.
- 2.10** "Contract Price" shall mean the price referred to in the "Letter of Acceptance/Purchase Order".
- 2.11** "Contract Period" shall mean the period during which the "Contract" shall be executed as agreed between the Supplier and the Purchaser in the Contract inclusive of extended contract period for reason beyond the control of the Supplier and/or Purchaser due to force majeure.
- 2.12** "Acceptance" shall mean and deemed to include one or more of the following as will be stipulated in the specification:
- a) The written acceptance of material by the inspector at suppliers works to ship the materials.
 - b) Acceptance of material at Purchaser site stores after its receipt and due inspection/ testing and release of material acceptance voucher.
 - c) Where the scope of the contract includes supplying, acceptance shall mean issue of necessary equipment / material takeover receipt after installation & commissioning and final acceptance.

3.0 CONTRACT DOCUMENTS & PRIORITY

- 3.01** Contract Documents: The terms and conditions of the contract shall consist solely of these RFQ conditions and the offer sheet.

4.0 SCOPE OF SUPPLY -GENERAL

- 4.01** The "Scope of Supply" shall be on the basis of Bidder's responsibility, completely covering the obligations, responsibility and supplies provided in this Bid enquiry whether implicit or explicit.
- 4.02** Bidder shall have to quote for the Bill of quantities as listed elsewhere.
- 4.03** All relevant drawings, data and instruction manuals.

5.0 QUALITY ASSURANCE AND INSPECTION

- 5.01** Immediately on award of contract, the bidder shall prepare detailed quality assurance plan/test procedure identifying the various stages of manufacture, quality checks performed at each stage, raw material inspection and the Customer hold points. The

document shall also furnish details of method of checking, inspection and acceptance standards / values and get the approval of Purchaser before proceeding with manufacturing. However, Purchaser shall have right to review the inspection reports, quality checks and results of suppliers in house inspection department which are not Customer hold points and the supplier shall comply with the remarks made by purchaser or his representative on such reviews with regards to further testing, rectification or rejection, etc. In case of standard items, BRPL shall forward the standard QAP which is to be followed by vendor during manufacturing.

- 5.02** Witness and Hold points are critical steps in manufacturing, inspection and testing where the supplier is obliged to notify the Purchaser in advance so that it may be witnessed by the Purchaser. Final inspection is a mandatory hold point. The supplier to proceed with the work past a hold point only after clearance by purchaser or a witness waiver letter from BRPL.
- 5.03** The performance of waiver of QA activity by Purchaser at any stage of manufacturing does not relieve the supplier of any obligation to perform in accordance with and meet all the requirements of the procurement documents and also all the codes & reference documents mentioned in the procurement document nor shall it preclude subsequent rejection by the purchaser.
- 5.04** On completion of manufacturing the items can only be dispatched after receipt of dispatch instructions issued by the Purchaser.
- 5.05** All in-house testing and inspection shall be done without any extra cost. The in-house inspection shall be carried out in presence of BSES/BSES authorized third party inspection agency. Cost of Futile/abortive visit(s) shall be debited from the invoices
- 5.06** Purchaser reserves the right to send any material being supplied to any recognized laboratory for testing, wherever necessary and the cost of testing shall be borne by the Bidder. In case the material is found not in order with the technical requirement / specification, the charges along with any other penalty which may be levied is to be borne by the bidder. To avoid any complaint the supplier is advised to send his representative to the stores to see that the material sent for testing is being sealed in the presence of bidder's representative.

6.0 PACKING, PACKING LIST & MARKING

- 6.01 Packing:** Supplier shall pack or shall cause to be packed all Commodities in crates/boxes/drums/containers/cartons and otherwise in such a manner as shall be reasonably suitable for shipment by road or rail to BRPL, Delhi/New Delhi stores/site without undue risk of damage in transit.
- 6.02 Packing List:** The contents of each package shall be itemized on a detailed list showing the exact weight, extreme outside dimensions (length, width & weight) of each container/box/drum/carton, Item SAP Code, PO No & date. One copy of the packing list shall be enclosed in each package delivered.

7.01 PRICE BASIS FOR SUPPLY OF MATERIALS

- a) Bidder to quote their prices on Landed Cost Basis and separate price for each item. FIRM prices for supply to BRPL Delhi/New Delhi stores inclusive of packing, forwarding, loading at manufacturer's premises, payment of GST.
- b) The above supply prices shall also include unloading at BRPL Delhi/New Delhi stores/site.
- c) Transit insurance will be arranged by Purchaser; however bidder to furnish required details in advance for arranging the same by Purchaser

8.0 TERMS OF PAYMENT AND BILLING

- a) 90% payment within 45 days on satisfactory supply, installation, testing, commissioning, RTO Commercial Delhi Registration, Comprehensive Insurance – 1 Year + 3 Years Third Party, Road Tax, Delhi Permit, Govt Norms etc along with acceptance by BRPL for Machine and Tools and on submission of Bank Guarantee, bills duly certified by Engineer-In-Charge i.e., Head – CES, BRPL.
- b) Rest 10% within 30 days after completion of training and successfully handover of materials duly certified by Engineer-In-Charge i.e., Head – CES, BRPL.

9.0 PRICE VALIDITY

- 9.01** All bids submitted shall remain valid, firm and subject to unconditional acceptance by BRPL Delhi for 240 days from the due date of submission & subsequent corrigendum/amendment/extension of due date of submission. For awarded suppliers/contractors, the prices shall remain valid and firm till contract completion.

10.0 PERFORMANCE GUARANTEE

- 10.01** Bank guarantee shall be drawn in favour of “BSES Rajdhani Power Ltd” as applicable. The performance Bank guarantee shall be in the format as specified by BRPL.
- 10.02** Contractor shall submit the performance bank guarantee equivalent to the 10% of the contract value exclusive of GST at the time of claiming the last payment as per clause no. 8.0 (Terms of payment and billing), with the validity of the bank guarantee till Defect Liability Period plus 3 months.

11.0 FORFEITURE

- 11.01** Each Performance Bond established under Clause 10.0 shall contain a statement that it shall be automatically and unconditionally forfeited without recourse and payable against the presentation by BRPL of this Performance Bond, to the relevant bank referred to above, together with a simple statement that supplier has failed to comply with any term or condition set forth in the Contract.
- 11.02** Each Performance BG established under will be automatically and unconditionally forfeited without recourse if BRPL in its sole discretion determines that supplier has failed to comply with any term or condition set forth in the contract.

12.0 RELEASE

All Performance Bonds will be released without interest within seven (7) days from the last date up to which the Performance Bond has to be kept valid (as defined in Clause 10.0) except for the case set forth in Clause 21.0.

13.0 WARRANTY/DEFECTS LIABILITY PERIOD

13.01 The bidder to guarantee the materials / items supplied against any defect of failure, which arise due to faulty materials, workmanship or design for the entire defects liability period. The Defect liability period shall be 5 Years onsite from date of handover from date of supplied material for machine, Tools and testing instruments.

If during the defects liability period any materials / items are found to be defective, these shall be replaced or rectified by the bidder at his own cost within 30 days from the date of receipt of intimation.

The bidder shall able to depute their service personnel within 48 hours in case of emergency and shall ensure the availability of manpower/spares for the same during warranty period.

14.0 RETURN, REPLACEMENT OR SUBSTITUTION.

BRPL shall give Supplier notice of any defective Commodity promptly after becoming aware thereof. BRPL may in its discretion elect to return defective Commodities to Supplier for replacement, free of charge to BRPL, or may reject such Commodities and purchase the same or similar Commodities from any third party. In the latter case BRPL shall furnish proof to Supplier of the cost of such substitute purchase. In either case, all costs of any replacement, substitution, shipping, labour and other related expenses incurred in connection with the return and replacement or for the substitute purchase of a Commodity hereunder should be for the account of Supplier. BRPL may set off such costs against any amounts payable by BRPL to Supplier. Supplier shall reimburse BRPL for the amount, if any, by which the price of a substitute Commodity exceeds the price for such Commodity as quoted in the Bid.

15.0 EFFECTIVE DATE OF COMMENCEMENT OF CONTRACT:

15.01 The date of the issuance of the Letter of Acceptance/Purchase Order shall be treated as the effective date of the commencement of Contract.

16.0 TIME – THE ESSENCE OF CONTRACT

16.01 The time and the date of completion of the “Supply” as stipulated in the Letter Of Acceptance / Purchase order issued to the Supplier shall be deemed to be the essence of the “Contract”. The Supply has to be completed not later than the aforesaid Schedule and date of completion of supply.

17.0 THE LAWS AND JURISDICTION OF CONTRACT:

17.01 The laws applicable to this Contract shall be the Laws in force in India.

17.02 All disputes arising in connection with the present Contract shall be settled amicably by mutual consultation failing which shall be finally settled as per the rules of Arbitration and Conciliation Act, 1996 at the discretion of Purchaser. The venue of arbitration shall be at New Delhi in India

18.0 EVENTS OF DEFAULT

18.01 Events of Default. Each of the following events or occurrences shall constitute an event of default ("Event of Default") under the Contract:

- (a) Supplier fails or refuses to pay any amounts due under the Contract;
- (b) Supplier fails or refuses to deliver Commodities conforming to this RFQ/ specifications, or fails to deliver Commodities within the period specified in P.O. or any extension thereof
- (c) Supplier becomes insolvent or unable to pay its debts when due, or commits any act of bankruptcy, such as filing any petition in any bankruptcy, winding-up or reorganization proceeding, or acknowledges in writing its insolvency or inability to pay its debts; or the Supplier's creditors file any petition relating to bankruptcy of Supplier;
- (d) Supplier otherwise fails or refuses to perform or observe any term or condition of the Contract and such failure is not remediable or, if remediable, continues for a period of 30 days after receipt by the Supplier of notice of such failure from BRPL.

19.0 CONSEQUENCES OF DEFAULT.

- (a) If an Event of Default shall occur and be continuing, BRPL may forthwith terminate the Contract by written notice.
- (b) In the event of an Event of Default, BRPL may, without prejudice to any other right granted to it by law, or the Contract, take any or all of the following actions;
 - (i) present for to the relevant bank the Performance Bond;
 - (ii) Purchase the same or similar Commodities from any third party; and/or
 - (iii) Recover any losses and/or additional expenses BRPL may incur as a result of Supplier's default

20.0 LIQUIDATED DAMAGES

20.01 If supply of items / equipment is delayed beyond the supply schedule as stipulated in LOI/PO, then the Supplier shall be liable to pay the Purchaser for delay a sum of 1% (One percent) of the basic (ex-works) price for every week of delay or part thereof for individual mile stone deliveries.

20.02 The total amount for delay under the contract will be subject to a maximum of Ten percent (10%) of the total contract value of undelivered units.

20.03 The Purchaser may, without prejudice to any method of recovery, deduct the amount for such damages from any amount due or which may become due to the Supplier or from the Performance Bond or file a claim against the supplier.

21.0 STATUTORY VARIATION IN TAXES AND DUTIES

The total order value shall remain **FIRM** within stipulated delivery period and shall not be adjusted on account of any price increase/variations in commodities & raw materials. However Statutory Taxes, duties and Levies imposed by Competent Authorities by way of fresh notification(s) within the stipulated delivery period shall be borne by BRPL on submission of necessary documents claiming such variation. The variation will be applicable only on such value wherever price breakup of same is submitted by vendor/available in PO/WO

The company reserves the right to review/change the terms & conditions of the Purchase Order/Purchase order prospectively w.e.f. the date of implementation of GST to give effect/take care the impact of GST, if required.

22.0 FORCE MAJEURE

22.01 General

An "Event of Force Majeure" shall mean any event or circumstance not within the reasonable control directly or indirectly, of the Party affected, but only if and to the extent that:

- (i) Such event or circumstance materially and adversely affects the ability of the affected Party to perform its obligations under this Contract, and the affected Party has taken all reasonable precautions, due care and reasonable alternative measures in order to prevent or avoid the effect of such event on the affected party's ability to perform its obligations under this Contract and to mitigate the consequences thereof.
- (ii) For the avoidance of doubt, if such event or circumstance would not have materially and adversely affected the performance of the affected party had such affected party followed good industry practice, such event or circumstance shall not constitute force majeure.
- (iii) Such event is not the direct or indirect result of the failure of such Party to perform any of its obligations under this Contract.
- (iv) Such Party has given the other Party prompt notice describing such events, the effect thereof and the actions being taken in order to comply with above clause.

22.02 Specific Events of Force Majeure subject to the provisions of above clause, Events of Force Majeure shall include only the following to the extent that they or their consequences satisfy the above requirements:

- (i) The following events and circumstances:
 - a) Effect of any natural element or other acts of God, including but not limited to storm, flood, earthquake, lightning, cyclone, landslides or other natural disasters.
 - b) Explosions or fires
- (ii) War declared by the Government of India, provided that the ports at Mumbai are declared as a war zone.
- (iii) Dangers of navigation, perils of the sea.

22.03 Notice of Events of Force Majeure If a force majeure event prevents a party from performing any obligations under the Contract in part or in full that party shall:

- i) Immediately notify the other party in writing of the force majeure events within 7(seven) working days of the occurrence of the force majeure event

- ii) Be entitled to suspend performance of the obligation under the Contract which is affected by force majeure event for the duration of the force majeure event.
- iii) Use all reasonable efforts to resume full performance of the obligation as soon as practicable
- iv) Keep the other party informed of all such efforts to resume full performance of the obligation on a regular basis.
- v) Provide prompt notice of the resumption of full performance or obligation to the other party.

22.04 Mitigation of Events of Force Majeure Each Party shall:

- (i) Make all reasonable efforts to prevent and reduce to a minimum and mitigate the effect of any delay occasioned by an Event of Force Majeure including recourse to alternate methods of satisfying its obligations under the Contract;
- (ii) Use its best efforts to ensure resumption of normal performance after the termination of any Event of Force Majeure and shall perform its obligations to the maximum extent practicable as agreed between the Parties; and
- (iii) Keep the other Party informed at regular intervals of the circumstances concerning the event of Force Majeure, with best estimates as to its likely continuation and what measures or contingency planning it is taking to mitigate and or terminate the Event of Force Majeure.

22.05 Burden of Proof In the event that the Parties are unable in good faith to agree that a Force Majeure event has occurred to an affected party, the parties shall resolve their dispute in accordance with the provisions of this Agreement. The burden of proof as to whether or not a force Majeure event has occurred shall be upon the party claiming that the force majeure event has occurred and that it is the affected party.

22.06 Termination for Certain Events of Force Majeure. If any obligation of any Party under the Contract is or is reasonably expected to be delayed or prevented by a Force Majeure event for a continuous period of more than 3 months, the Parties shall promptly discuss in good faith how to proceed with a view to reaching a solution on mutually agreed basis. If a solution on mutually agreed basis cannot be arrived at within a period of 30 days after the expiry of the period of three months, the Contract shall be terminated after the said period of 30 days and neither Party shall be liable to the other for any consequences arising on account of such termination.

22.07 The Purchaser may terminate the contract after giving 7(seven) days notice if any of following occurs:

- a) Contractor fails to complete execution of works within the approved schedule of works, terms and conditions
- b) In case the contractor commits any Act of Insolvency, or adjudged insolvent
- c) Has abandoned the contract
- d) Has failed to commence work or has suspended the progress of works
- e) Has failed to proceed the works with due diligence and failed to make such due progress

22.08 Limitation of Force Majeure event. The Supplier shall not be relieved of any obligation under the Contract solely because cost of performance is increased, whether as a consequence of adverse economic consequences or otherwise.

22.09 Extension of Contract Period due to Force Majeure event The Contract period may be extended by mutual agreement of Parties by way of an adjustment on account of

any period during which an obligation of either Party is suspended due to a Force Majeure event.

22.10 Effect of Events of Force Majeure. Except as otherwise provided herein or may further be agreed between the Parties, either Party shall be excused from performance and neither Party shall be construed to be in default in respect of any obligations hereunder, for so long as failure to perform such obligations shall be due to and event of Force Majeure."

23.0 **TRANSFER AND SUB-LETTING**

23.01 The Supplier shall not sublet, transfer, assign or otherwise part with the Contract or any part thereof, either directly or indirectly, without prior written permission of the Purchaser.

24.0 **RECOVERIES**

24.01 When ever under this contract any money is recoverable from and payable by the bidder, the purchaser shall be entitled to recover such sum by appropriating in part or in whole by detecting any sum due to which any time thereafter may become due from the supplier in this or any other contract. Should the sum be not sufficient to cover the full amount recoverable the bidder shall pay to the purchaser on demand the remaining balance.

25.0 **WAIVER**

25.01 Failure to enforce any condition herein contained shall not operate as a waiver of the condition itself or any subsequent breach thereof.

26.0 **INDEMNIFICATION**

Notwithstanding contrary to anything contained in this RFQ, Supplier shall at his costs and risks make good any loss or damage to the property of the Purchaser and/or the other Supplier engaged by the Purchaser and/or the employees of the Purchaser and/or employees of the other Supplier engaged by the Purchaser whatsoever arising out of the negligence of the Supplier while performing the obligations under this contract.

27.0 **DOCUMENTATION:**

The Bidder's shall procure all equipment from BRPL approved sources as per attached specifications. The Bidder's shall submit 5 copies of Material/Type Test Certificates, O&M Manuals, and Approved & As-built drawings. The Bidder's shall ensure for the strict compliance to the specifications and Field Quality Procedures issued by BRPL Engineer in-charge.

28.0 **COMMISSIONING SPARES**

28.01 Commissioning Spares shall be deemed to be included in the quoted

29.0 **DERC GUIDELINES & REGULATIONS**

The bidder shall make himself fully aware & familiarize with prevailing DERC guidelines / regulations.

BSES RAJDHANI POWER LIMITED NIT 1349

SECTION IV
GENERAL TERMS & CONDITIONS

SECTION IV

GENERAL TERMS & CONDITIONS

1. DEFINITIONS and INTERPRETATION

The following terms shall have the following meanings:

1.1 "Company": means BSES Rajdhani Power Ltd, a company incorporated under the Companies Act 1956 and having its office at BSES Bhawan, Nehru Place, New Delhi 110 019, which expression shall include its authorized representatives, agents, successors and assigns.

1.2 "Contractor": shall mean the successful Tenderer / vendor to whom the contract has been awarded

1.3 "Rate": The unit rates for the work to be carried out at site shall be as per finalized unit rates through tender. The finalized rates shall be firm for the entire duration of work to be carried out by the Contractor under the Purchase order and are not subject to escalation for any reason whatsoever.

1.4. CONTRACT SPECIFICATION: The terms "CONTRACT Specification" shall mean the Technical specification of the work as agreed by you and description of work as detailed in Annexure-I enclosed herewith and all such particulars mentioned directly/referred to or implied as such in the contract.

1.5 SITE: The terms "Site" shall mean the working location in BRPL area. Under this tender, working location shall be as mentioned elsewhere.

1.6 ENGINEER IN CHARGE: "Engineer In-charge" means the Company's authorized representative for the purpose of carrying out the work.

2. EXAMINATION OF SITE AND LOCAL CONDITIONS:

The contractor is deemed to have visited the site of the work and ascertained therefore all site conditions and information pertaining to his work. The company shall not accept any claim whatsoever arising out of the difficult site/terrain/local conditions, if any.

3. LANGUAGE AND MEASUREMENT:

The CONTRACT issued to the contractor by the company and all correspondence and documents relating to the CONTRACT placed on the Contractor shall be written in English language.

Metric System shall be followed for all dimension, units etc.

4. RATES:

The rates finalized for this order shall be firm for the entire duration of work carried out by the Contractor under the order and are not subject to any variation and escalation for any reason whatsoever.

The cost of insurance during loading/unloading of materials/ equipments during its storage and handling/erection at site for installation is included in the contractor's scope and value is included in the unit rates finalized.

The unit rates finalized are also inclusive of barricading and watch & ward during execution and no separate charges shall be paid for the same.

The cost of training of BRPL Official shall be included in the prices quoted by vendor.

5. TAXES AND DUTIES:

Prices are inclusive of all taxes and duties and GST. However, IT as per applicable rate will be deducted from your bills as Tax Deduction at Source (TDS).The order involves only services and labour hence WCT/VAT not applicable to the order.

The total order value shall remain **FIRM** within stipulated delivery period and shall not be adjusted on account of any price increase/variations in labour. However Statutory Taxes, duties and Levies imposed by Competent Authorities by way of fresh notification(s) within the stipulated delivery period shall be borne by BRPL on submission of necessary documents claiming such variation. The variation will be applicable only on such value wherever price breakup of same is submitted by vendor/available in PO/WO.

6. SUB-CONTRACTING / SUBLETTING:

Bidder shall not assign or transfer the whole or any part of this Purchase order or any other benefits accruing there from nor shall it subcontract / sublet the whole or any part of the Works without the prior written consent of COMPANY.

In the event the contractor assigns this Purchase order, contractor's assignees shall be bound by the terms and conditions of this Purchase order and shall , if deemed necessary by COMPANY at the time of such assignment, undertake in writing to be so bound by this Purchase order.

Notwithstanding the subletting / subcontracting of any portion of the works, contractor shall remain wholly responsible for the carrying out, completion and satisfactory execution of Works in all respects in accordance with this Purchase order, specification, approved drawings and data sheets.

7. INDEMNITY:

Contractor shall indemnify and save harmless COMPANY against and from any and all liabilities, claims, damages, losses or expenses arising due to or resulting from:

- a) any breach non-observance or non-performance by contractor or its employees or agents of any of the provisions of this Purchase Order.
- b) any act or omission of contractor or its employees or agents.
- c) any negligence or breach of duty on the part of contractor, its employees or agents including any wrongful use by it or them of any property or goods belonging to or by COMPANY.

Contractor shall at all times indemnify COMPANY against all liabilities to other persons, including he employees or agents of COMPANY or contractor for bodily injury, damage to property or other loss which may arise out of or in consequence of the execution or completion of Works and against all costs charges and expenses that may be occasioned to COMPANY by the claims of such person.

8. EVENTS OF DEFAULTS:

COMPANY may, without prejudice to any of its other rights or remedies under the Purchase Order or in law, terminate the whole or any part of this Purchase Order by giving written notice to the Contractor, if in the opinion of COMPANY, contractor has neglected to proceed with the

works with due diligence or commits a breach of any of the provisions of this Purchase order including but not limited to any of the following cases:

- a) Failing to complete execution of work within the terms specified in this Purchase order.
- b) Failing to complete works in accordance with the approved schedule of works.
- c) Failing to meet requirements of specifications, drawings, and designs as approved by COMPANY.
- d) Failing to comply with any reasonable instructions or orders issued by COMPANY in connection with the works.
- e) Failing to comply with any of the terms or conditions of this Purchase order.

In the event COMPANY terminates this Purchase order, in whole or in part, on the occurrence of any event of default, COMPANY reserves the right to engage any other subcontractor or agency to complete the work or any part thereof, and in addition to any other right COMPANY may have under this Purchase order or in law including without limitation the right to penalize for delay under clause 15.0 of this Purchase order, the contractor shall be liable to COMPANY for any additional costs that may be incurred by COMPANY for the execution of the Work.

9. RISK & COST:

If the Contractor fails to supply as per specification / as per the direction of Engineer's In-charge within the scheduled period and even after the extended period, the contract shall get cancel and company reserves the right to get the supply executed from any other source at the Risk & Cost of the Contractor. The Extra Expenditure so incurred shall be debited to the Contractor.

10. ARBITRATION:

To the best of their ability, the parties hereto shall endeavor to resolve amicably between themselves all disputes arising in connection with this LOA. If the same remain unresolved within thirty (30) days of the matter being raised by either party, either party may refer the dispute for settlement by arbitration. The arbitration to be undertaken by two arbitrators, one each to be appointed by either party. The arbitrators appointed by both the parties shall mutually nominate a person to act as presiding arbitrator before entering upon the reference in the event of a difference between the two arbitrators and the award of the said presiding arbitrator in such a contingency shall be conducted in accordance with this provisions of the Indian Arbitration & Conciliation Act, 1996 and the venue of such arbitration shall be in the city of New Delhi only.

11. FORCE MAJEURE:

11.1 General:

An "Event of Force Majeure" shall mean any event or circumstance not within the reasonable control, of the Party affected, but only if and to the extent that:

(i) Such event or circumstance, despite the exercise of reasonable diligence, could not have been prevented, avoided or reasonably foreseen by such Party;

(ii) Such event or circumstance materially and adversely affects the ability of the affected Party to perform its obligations under this Contract, and the affected Party has taken all reasonable precautions, due care and reasonable alternative measures in order to prevent or avoid the effect of such event on the affected parties ability to perform its obligations under this Contract and to mitigate the consequences thereof. For the avoidance of doubt, if such event or

circumstance would not have materially and adversely affected the performance of the affected party had such affected party followed good industry practice, such event or circumstance shall not constitute force majeure.

(iii) Such event is not the direct or indirect result of the failure of such Party to perform any of its obligations under this Contract; and

(iv) Such Party has given the other Party prompt notice describing such events, the effect thereof and the actions being taken in order to comply with above clause

11.2 Specific Events of Force Majeure:

Subject to the provisions of above clause, Events of Force Majeure shall include only the following to the extent that they or their consequences satisfy the above requirements:
The following events and circumstances:

(i) Effect of any natural element or other acts of God, including but not limited to storm, flood, earthquake, lightning, cyclone, landslides or other natural disasters, and

(ii) Explosions or fires

(iii) Declaration of the Site as war zone.

Any order, regulation, directive, requirement from any Governmental, legislative, executive or judicial authority.

11.3 Notice of Events of Force Majeure

If a force majeure event prevents a party from performing any obligations under the Contract in part or in full, that party shall :

(i) Immediately notify the other party in writing of the force majeure events within 2 working days of the occurrence of the force majeure event

(ii) Be entitled to suspend performance of the obligation under the Contract which is affected by force majeure event for the duration of the force majeure event

(iii) Use all reasonable efforts to resume full performance of the obligation as soon as practicable

(iv) Keep the other party informed of all such efforts to resume full performance of the obligation on a regular basis

(v) Provide prompt notice of the resumption of full performance or obligation to the other party.

11.4 Mitigation of events of force majeure:

The Contractor shall:

(i) Make all reasonable efforts to prevent and reduce to a minimum and mitigate the effect of any delay occasioned by an Event of Force Majeure, including applying other ways in which to perform the Contract;

(ii) Use its best efforts to ensure resumption of normal performance after the termination of any Event of Force Majeure and shall perform its obligations to the maximum extent practicable as agreed between the Parties; and Keep the Company informed at regular intervals of the circumstances concerning the event of Force Majeure, with best estimates as to its likely continuation and what measures or contingency planning it is taking to mitigate and or terminate the Event of Force Majeure.

11.5 Burden of proof:

In the event that the Parties are unable in good faith to agree that a Force Majeure event has occurred to an affected party, the parties shall resolve their dispute in accordance with the provisions of this Contract. The burden of proof as to whether or not a force majeure event has occurred shall be upon the party claiming that the force majeure event has occurred and that it is the affected party.

11.6 Terminations for certain events of force majeure:

If any obligation of any Party under the Contract is or is reasonably expected to be delayed or prevented by a Force Majeure event for a continuous period of more than 1 (one) month during the Term of the Contract the Contract shall be terminated at the discretion of the Company and neither Party shall be liable to the other for any consequences arising on account of such termination.

12. SECRECY CLAUSE:

The technical information, drawing and other related documents forming part of Purchase order and the information obtained during the course of investigation under this Purchase order shall be the Company's executive property and shall not be used for any other purpose except for the execution of the Purchase order. The technical information drawing, records and other document shall not be copied, transferred, or divulged and/ or disclosed to third party in full/part, not misused in any form whatsoever except to the extent for the execution of this Purchase order.

These technical information, drawing and other related documents shall be returned to the Company with all approved copies and duplicates including drawing/plans as are prepared by the Contractor during the executions of this Purchase order, if any, immediately after they have been used for agreed purpose.

In the event of any breach of this provision, the contractor shall indemnify the Company against any loss, cost or damage or claim by any party in respect of such breach.

13. TERMINATION:

"During the course of the execution, if at any time BSES observe and form an opinion that the work under the order is not being performed in accordance with the terms of this Agreement, BSES reserves its right to cancel this Agreement giving 15 days notice mentioning the reason for the termination of the agreement and BSES will recover all damages including losses occurred due to loss of time from Contractor.

14. QUALITY:

Contractor shall ensure that strict quality is maintained and execution of works under this Purchase order and Works are executed in conformity with the Specification.

All tools, tackles, instruments and other equipments used in the execution of the Works shall be duly calibrated as required and Contractor shall maintain proper records of such tools, tackles, instruments and / or equipment.

15. ACCEPTANCE

Acceptance of this Purchase order implies and includes acceptance of all terms and conditions enumerated in this Purchase order in the technical specification and drawings made available to you consisting of general conditions, detailed scope of work, detailed technical specification & detailed equipment, drawing. Complete scope of work and the Contractor's and Company's contractual obligation are strictly limited to the terms set out in the Purchase order. No amendments to the concluded Purchase order shall be binding unless agreed to in writing for such amendment by both the parties.

However, during the course of the execution of the Purchase order, if at any time the Company's representative observe and form an opinion that the work under the Purchase order is not being performed in accordance with the terms of this Purchase order, the company reserves its right to cancel this Purchase order forthwith without assigning any reason and the Company will recover all damages including losses occurred due to loss of time from the Contractor.

We request you to please sign the duplicate copy of this Purchase order as a token of your acceptance and return to us.

SECTION V

SCOPE AND TECHNICAL SPECIFICATIONS

BSES RAJDHANI POWER LIMITED NIT 1349

SCOPE AND TECHNICAL SPECIFICATIONS

1.0 Company Profile

BRPL Rajdhani Power Ltd(BRPL) is the leading utility company having presence across the entire value chain of power businesses i.e. distribution of power. BRPL is India's largest private power distribution company, serving over ~2.56 million consumers with 24 x 7 uninterrupted, reliable and quality power spread over 750 sq. km with a customer density of ~3407 per sq km in 22 districts across South and West areas.

Bill of Quantity:

As per Specification no – BSES-TS-169-IAWP-R0 enclosed

BRPL has reserve the right to procure the quantity in mentioned annexure with variation of quantity upto any extent (NIL) as per the BRPL requirement.

Following format to be used to furnish the details:

Company background (including global presence, turnover, key executives, global clients)	India Presence (offices, staffing, Indian projects – both commissioned and won/in-process)	Client References

Name of Clients whom Supplied the Hardware as per technical Criteria	Qty Supplied	Purchase Order Details with Date	Performance Certificate	Copy Attached (Y/N)

Documents	Details	Copy Attached (Y/N)
Manufacturer Authorization Form (MAF)		
Type of Bidder OEM / Distributor/ Dealer		
Certificate of Incorporation and Registration		

The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the RFP/tender, shall be deemed to be included in prices quoted.

3.3 Submission of Proposals

- i. Offer should be divided into two parts (one commercial, one technical) with superscription as for BSES Rajdhani Power Limited - Technical / Commercial bid”, as applicable. Both bids to be submitted to the commercial contact in Central Procurement Group of BRPL.

Technical bid should address the following:

- a. Scope of Work
- b. Technical requirements

- c. Service Level Agreements
 - d. Details of project team consultants - Competence & strength etc of personnel
 - e. Assumptions, Dependencies
 - f. Exclusions to be explicitly stated.
- ii. Commercial Bid will give the Total Price with item level breakup indicating the unit rate where applicable. It will include the following:
- a. Hardware Cost
 - b. License Cost

Bidders shall quote for the entire Scope of Supply/ work with a break up of prices for individual items and Taxes & duties. The bidder shall complete the appropriate Price Schedules included herein, stating the Unit Price for each item & total price with taxes, duties & freight as applicable. The all-inclusive prices offered shall be inclusive of all costs as well as Duties, Taxes and Levies paid or payable during the execution of the supply work, breakup of price constituents.

The bidder shall ascertain himself regarding material required for completeness of the entire work. Any items not indicated in the price schedule but which are required to complete the job as per the Technical Specifications/ Scope of Work/ SLA mentioned in the RFP/tender, shall be deemed to be included in prices quoted.

Prices shall be quoted in Indian Rupees Only. The proposal should be submitted in hard copy (including Price Bid) as well as soft copy via pen drive (except Price Bid). Bidder submitted proposal shall be valid as per NIT Terms for from date of submittal. Notwithstanding clause above, the BRPL may solicit the Bidder's consent to an extension of the Period of Bid Validity. The request and responses thereto shall be made in writing. The bidder is not allowed to modify or withdraw its bid after the Bid's submission.

- iii. Proposal Format: Proposals shall be submitted in the format as specified in this RFP. It is the sole responsibility of the bidder to assure that they have received the entire Request for Proposal. Proposers will be notified in writing of any change in the specifications contained in this RFP. No verbal or written information which is obtained other than through this RFP or its addendum shall be binding to the company.
- iv. Post submission of the techno-commercial proposal the short listed bidders may be called to make presentation on their proposed solution.
- v. Under the second stage, the Commercial Bids of bidders, who had been successfully and technically found suitable / acceptable, shall be considered.
- vi. The Bids will be evaluated based on the criteria set forth. The decision of BRPL shall be final and binding on all bidders.

3.3.1 Documents required along with the Bid

- i. Requisite Documents for compliance to Qualification Criteria mentioned in bid.
- ii. Proper authorization letter/ Power of Attorney to sign the tender on the behalf of bidder.
- iii. Duly signed and stamped 'RFP' as acceptance of scope of works with company seal.
- iv. Duly signed and stamped 'Schedule of Deviations' as per Annexure III on bidder's letter head.
- v. Duly signed and stamped 'Schedule of Commercial Specifications' on bidder's letter head.

- vi. Copy of PAN, GST, PF and ESI Registration (In case any of these documents is not available with the bidder, same to be explicitly mentioned in the 'Schedule of Deviations')

Please note that in absence of any of the above documents, the bid submitted by a bidder shall be liable for rejection.

3.3.2 Deviation from Tender

Normally, the deviations to tender terms are not admissible and the bids with deviation are liable for rejection. Hence, the bidders are advised to refrain from taking any deviations on this Tender. Still in case of any deviations, all such deviations shall be set out by the Bidders, clause by clause in the 'Annexure III - Schedule of Deviations' and same shall be submitted as a part of the Technical Bid.

3.3.3 Price Variation Clause:

The prices shall remain firm during the entire contract period.

3.3.4 Vendor/Partner Presentation

Vendor/partner oral presentations shall be requested / permitted if they are necessary to properly clarify compliance with the requirements of this RFP. BRPL will not be liable for any costs associated with the presentation.

3.3.5 General Clause

- i. BRPL reserves the right not to accept any bid, or to accept or to request clarification of information or reject a particular bid at its sole discretion without assigning any reason whatsoever and the decision of BRPL will be treated as final. The bids not submitted in the prescribed format or incomplete in any aspect are likely to be rejected.
- ii. Prior to the final selection, bidders may be required to submit additional information and show a demonstration.
- iii. The acceptance of a Bid will be communicated in writing at the address furnished by the bidder in the RFP response. Any change of address of the Bidder, should therefore be promptly notified to BRPL.
- iv. The bidder shall have the legal license, rights, permit to provide this service & shall declare the above in the proposal and take responsibility of the providing the service & shall provide necessary legal guidance to BRPL for this hosting requirement.
- v. In the case that BRPL accepts the proposal, the selected bidder response to the RFP will be considered to be binding on the Vendors/partners and will be used in whole or in part, in the contract between BRPL and the Vendors/partners.
- vi. BRPL shall have direct access to personnel of the selected Vendors/partners(s) who have full authority to make commitments on behalf of the Vendors/partners. The Vendors/partner shall include, as part of their proposal, any restrictions under which their primary negotiations will operate.

Annexure

Annexure-1 (For Compliance To Tender)

Provide compliance to various requirements (functional, technical, training, interface, warranty, AMC etc) and describe how compliance is envisaged alongwith module names:

Req #	Requirement details	Compliance (Y/N/Partial)	How compliance met (for Y & Partial)

Annexure-3(For Software Details for GPS)

Sl.no	Software type	Software details	Qty	Remarks
	Operating System (OS)			
	Others			

BSES RAJDHANI POWER LIMITED NIT 1349

SECTION VI

PRICE BID

**SECTION VI
PRICE FORMAT**

Procurement of Insulated Aerial work Platform in BRPL	QTY	UOM	HSN Code	Make and Model	Basic Unit Rate without GST	GST in %	Unit Rate With GST	Amount (Qty X Unit Rate with GST)
Supply, Installation, testing, commissioning, RTO commercial Delhi registration (with all govt norms), training (One Month), GPS Tracking device of Vehicle with Insulated Aerial work Platform along with tools for maintenance of overhead sections upto 11KV/ 33KV in various locations of BRPL	1	Nos						
TOTAL WITH GST (A)								

ANNEXURE A: -TOOLS LIST (SUITABLE FOR 11 kV & 33 kV)
1) For 11 kV(Suitable for Dog, Wolf, Goat conductor)

S. No.	Description	UOM	Qty	HSN Code	Make and Model	Basic Unit Rate without GST	GST in %	Unit Rate With GST	Amount (Qty X Unit Rate with GST)
1	Flexible Rubber line hose; Length -4.5 feet, Coupler at one end	No	12						
2	Flexible Rubber Cover for Jumpers-Large ,Minimum Length -2.9 feet	No	2						
3	Flexible Rubber Cover for jumpers-small ,Length -1.25 feet	No	2						
4	Insulator Cover, 16"(L) x 6.5"(Dia)(Suitable for Porcelain –Pin type insulators)	No	4						
5	Round Covers (100 mm), Overall length: 300 mm and Voltage rating of 26.4 kV-Phase-to-Phase	No	3						
6	Round Covers (100 mm), Overall length: 600 mm and Voltage rating of 26.4 kV-Phase-to-Phase	No	3						

7	Rope lock assembly for securing pole covers on poles. Length shall be suitable to hold pole covers tight.	No	2						
8	Spiral Conductor Cover with Gripall Adapter; suitable for crossarm and insulators	No	2						
9	Blanket, Solid 36" X 36"	No	10						
10	Slotted Rubber Blanket , Solid 22" X 22"	No	5						
11	Rubber Glove - Blanket Clamp suitable for installation of rubber insulating blankets	No	18						
12	Klondlike Clamps / Large	No	6						
13	Protector ,Glove 14 Inch for Size 8.5	No	2						
14	Straight Cuff Gloves Color Yellow under Black(Size 8.5& Length 14 Inch)	No	2						
15	Arc Flash 12 Cal/cm2 Cover with Front Lift hood(Visor Dimensions:10" width & 8"Height)	No	2						
16	Special Grade Safety Harness for Live Line Work(Size :Medium, Height:5'8"-5'11" & Chest:36" to 40")	No	2						
17	Special Grade Safety Lanyard attachment (Type:1" tubular nylon Web with snaphook& loop end) for fall arrest	No	2						
18	Rubber Sleeves(Size : Large; Dipped Regular type)	No	4						
19	Blanket Cannister 37" with Handle, Diameter 7"	No	4						
20	Glove Bag 18", Cotton Canvas	No	4						
21	Sleeve Bag,Length: 15"	No	4						
22	Line hose Lifting Bag(Diameter:7" & Length 48")	No	1						
23	12 ft. 4/0 Primary Jumpers, 400 amps continuous current rating	No	3						

24	Insulated Hanger (Insulated parking stand for jumper/grounding clamps)	No	2						
25	Temporary Mechanical Jumper Holder (V-Notch design that securely holds jumpers preventing sliding) Fitment over bare conductors & class line hose up to 2.5"OD.	No	4						
26	Crossarm-mount temporary conductor support(Made up of aluminum),Maximum Workload: Rated for 65 kg.	No	3						
27	ø32mm grip-all Clamp sticks (shotgun) 8 feet long(include Jaw, Jaw holder, Safety stop, Lock bar& Latch)	No	1						
28	Lightweight telescopic stick with universal head(FRP Triangular Telescopic Rod with extendable length of min. 5 meters with 4 nos. of sections & closed height shall be less than 1.75 meters).	No	1						
29	Hoist Link Stick- Length 15", Diameter 1.25" Working load limit: 1814 kg	No	1						
30	Hot Stick Wiping Cloth	No	4						
31	Combination Tool Board & Tool Tray (only trays)	No	1						
32	Polymer Bucket hooks suitable to attach tool storage bags and hold the load of the hotline tools.	No	4						
33	Wire Gripper (Suitability upto 23 mm) ,Working load limit for 2268 kg.	No	1						
34	Insulated handle Bolt cutter / Hardware cutter	No	1						
35	Web Strap Hoists(Nylon Hoist) 1 ton	No	1						
36	Web slings endless single ply nylon slings capacity up to 4000 lbs	No	2						
37	Complete handline side opening hand line block with swivel hook) Complete handline made up of side opening block with swiveling hook & Safety snap ½ inch polypropylene rope – working height of 40 feet and rope length of 80 ft with handline hook and handline snap	Set	1						

38	Overhead Circular Saw- Hydraulic (Power Source: Truck) with suitable hose pipes. Insulated fiberglass extension tube , 100 kV tested with length of 2.1 meter, diameter circular blade with 9"	Set	1					
39	Glove Tester Pneumatic	Set	1					
40	Truck Grounding Kit with 10meter Cable metal or hard plastic cable reel with handle PVC cable of 16 sqmm and with 10 meter long earth spike of min. 1 foot.	Set	1					
40	Safety Helmet with glasses	Set	5					
41	Traffic Safety Cones with Plastic Chains(3 nos per set)	Set	2					
42	First Aid Kit(Metal box with all necessary first aid medicines and tools such as adhesive bandages, Sterile gauze pads, adhesive tape, Non-adherent dressings, Wound dressings, Roller bandages, Triangular bandages, safety pins, disposable gloves,scissors, Tweezers, Resuscitation Face Shield, First Aid Manual , Emergency blanket, Instant Cold Packs, over- the counter painrelievers, Hydrocortisone cream etc.)	No	1					
43	Tree Pruning Saw with Universal Fitting, Hook and Triple Chip Cutting Blade with Saw handle. Min. Length of blade -Min.330 mm Min. cutting area of blade-12 inches	No	4					
44	Complete Hand tools set including 1) Spanners (open-end & Ring type) with sizes Full metric (8mm to 24 mm) & SAE (1/4" to 1-1/8") sets. 2) Sockets (6 point deep and shallow) 3/8"&1/2" drive. 3) Ratchet (Reversible fine-tooth-72 tooth & 3",6"&10" locking extensions) 4) Screwdriver (Type 1,2,3 phillips& various Flat- Head widths) 5) Pliers (Type : Needle-nose(for cotter pins), Lineman's pliers)) 6) Torque wrench (Type 1/2" Drive click –type or digital with range 50 lb-ft to 250 lb-ft)	No	1					

	7) Allen/Hex-keys (Type:T Handle or socket-Head bits(long reach) Sizes 1/8" to 3/8") 8) Grease Gun								
45	Tools Bucket-Large(12"x15")	No	1						
46	Protector ,Glove 14 Inch for Size 9.5	No	2						
47	Straight Cuff Gloves Color Yellow under Black(Size 9.5 &Length 14 Inch)	No	2						
TOTAL WITH GST (B)									

• **For 33 kV(Suitable for Goat conductor, Zebra)**

S. No.	Description	UOM	Qty	HSN Code	Make and Model	Basic Unit Rate without GST	GST in %	Unit Rate With GST	Amount (Qty X Unit Rate with GST)
1	Cover Blanket with Solid Rubber: Large 35-36 inch x 35-36 inch	No	12						
2	Cover Blanket with Slotted Rubber: Large 35-36 inch x 35-36 inch	No	4						
3	Cover Blanket with Slotted Rubber: Small 22 inch x 22 inch	No	4						
4	Blanket Button	No	50						
5	Rubber Glove Clamp	No	24						
6	Flexible Rubber Stinger Cover for Jumpers - 36 inch long(Type II)	No	2						
7	Spiral Conductor Cover with Gripall Adapter (36.6kV) suitable for crossarm and insulators	No	2						
8	Ribbed Pole Cover (150 mm), Overall length: 300 mm and Voltage rating of 36.6 kV-Phase-to-Phase	No	4						

9	Ribbed Pole Cover (230 mm), Overall length: 300 mm and Voltage rating of 36.6 kV-Phase-to-Phase	No	1					
10	Ribbed Pole Cover (230 mm), Overall length: 600 mm and Voltage rating of 36.6 kV-Phase-to-Phase	No	1					
11	Locking Device for securing Pole Covers on poles. Length shall be suitable to hold pole covers tight	No	4					
12	ConductorCover-36.6kVVoltage rating (Phase-to-Phase) with Grip all adaptor(Length :5 feet)	No	12					
13	Straight Cuff Rubber Gloves-(Size 8.5 & Length 14")	Pair	3					
14	Straight Cuff Rubber Gloves-(Size9& Length 16")	Pair	3					
15	Premium Leather Glove Protector(Size8.5& Length 14")	Pair	10					
16	Premium Leather Glove Protector(Size9.5& Length 14")	Pair	10					
17	Molded Rubber Insulating Sleeve,(36kV)- Dipped type	Pair	3					
18	Sleeve Straps with Buttons15"	Pair	10					
19	Glove Protector Bag(Length 18")	No	6					
20	Sleeve Protector Bag(Size 30 x13 inch)	No	5					
21	Live Line WireGripper- Suitable for size of 8 mm upto 20mm	No	1					
22	Live Line WireGrip-Suitable for size of 18 to 31mm	No	1					
23	Endless Single Ply Nylon Slings- Length 4 feet with width 2"	No	6					
24	Hoist Link Stick- Length:15",Diameter 1.25" Working load limit: 1814 kg	No	1					
25	Nylon Strap Hoist-2 Ton	No	1					

26	GripAllClampStick-8Feet	No	1						
27	FRP Triangular Unidirectional Telescopic Stick- 7 meter, 4 sections with extendable length of minimum 5 meters and closed height shall be less than 2.25 meters.	No	1						
28	FRP Triangular Unidirectional Telescopic Stick- 2meter, 2 sections	No	1						
29	Set of RopeBlock-120ftrope 1)Two double blocks with 120 ft of ½ in Rope 2) Swivel Top	Set	1						
30	Tree Pruning Saw with Universal Fitting, Hook and Triple Chip Cutting Blade with Saw handle Min. Length of blade -Min.330 mm Min. cutting area of blade-12 inches	No	4						
31	Tree Trimmer- Hydraulic (Power Source: Truck) with suitable hose pipes. Insulated fiberglass extension tube , 100 kV tested with length of 2.1 meter, diameter circular blade with 9"	No	1						
32	Shepherd hook, Insulator Forks with universal link for stick attachment	Set	1						
33	Glove Tester: Inflator	No	1						
34	Temporary Jumper(36kV), Overall Length: 3.60 m, Rated Current: 350 A, HotStickClamp:4to29mm	Set	3						
35	Temporary Mechanical Jumper Holder/Cuff(V-Notch design that securely holds jumpers preventing sliding) Fitment over bare conductors & class line hose up to 2.5"OD.	Set	4						
36	Rubber Blanket Canister 37" with Handle, Diameter 7"	No	12						
37	Line hose Lifting Bag, 48inchlong,7 inch dia.	No	3						

38	Tarpaulin, 12ftx12ft	No	2					
39	Safety Helmet with glasses	Set	5					
40	ArcFlash 12Cal/cm2 Cover with Front Lifthood (Visor Dimensions: 10" width & 8" Height)	No	2					
41	Complete Hand tools set including 1) Spanners (open-end & Ring type) with sizes Full metric (8mm to 24 mm) & SAE (1/4" to 1-1/8") sets. 2) Sockets (6 point deep and shallow) 3/8" & 1/2" drive. 3) Ratchet (Reversible fine-tooth-72 tooth & 3", 6" & 10" locking extensions) 4) Screwdriver (Type 1, 2, 3 phillips & various Flat- Head widths) 5) Pliers (Type : Needle-nose (for cotter pins), Lineman's pliers)) 6) Torque wrench (Type 1/2" Drive click –type or digital with range 50 lb-ft to 250 lb-ft) 7) Allen/Hex-keys (Type: T Handle or socket-Head bits (long reach) Sizes 1/8" to 3/8") 8) Grease Gun	Set	1					
42	Bold/ Conductor Cutter with insulated handles	No	1					
43	Traffic Safety Cones with Plastic Chains (3 nos. per set)	Set	2					
44	Insulated Hanger for voltage class 36kV – Insulated parking stand for jumpers/ grounding clamps.	No	3					
45	Cross arm-mount Temporary Conductor Support (Made of aluminum), Maximum Workload: Rated for a 68 kg	No	3					

46	Insulator Cover, 16"(L)x6.5"(Dia), For Pin insulators	No	6					
47	Insulator Cover, 7"x16" suitable to use with line hose to cover post-type insulators	No	6					
48	Truck Grounding Kit with 10meter Cable metal or hard plastic cable reel with handle PVC cable of 16 sqmm and with 10 meter long earth spike of min. 1 foot.	No	1					
49	First Aid Kit(Metal box with all necessary first aid medicines and tools such as adhesive bandages, Sterile gauze pads, adhesive tape, Non-adherent dressings, Wound dressings, Roller bandages, Triangular bandages, safety pins, disposable gloves, scissors, Tweezers, Resuscitation Face Shield, First Aid Manual , Emergency blanket, Instant Cold Packs, over- the counter pain relievers, Hydrocortisone cream etc.)	No	1					
50	Special Grade Safety Harness for Live Line Work (Size :Medium, Height:5'8"-5'11" & Chest:36" to 40")	No	2					
51	Special Grade Safety Lanyard attachment (Type:1" tubular nylon Web with snaphook& loop end) for fall arrest	No	2					
52	Polymer bucket Hooks	No	5					
53	Tools Bucket- Large(12" x 15")	No	3					
54	Klondlike clamps/Large	No	8					
	TOTAL WITH GST (C)							

ANNEXURE B: -TESTING INSTRUMENTS/MEASURING INSTRUMENTS (SUITABLE FOR 11 kV & 33 kV)

S. No.	Description	UOM	Qty	HSN Code	Make and Model	Basic Unit Rate without GST	GST in %	Unit Rate With GST	Amount (Qty X Unit Rate with GST)
1	Leakage Current Clamp Meter (0-300µA/3mA/30mA)-CT diameter 35 mm	No	1						
2	Insulating Stick Tester	No	1						
3	HVClampMeterwithHarmonicsMeasurement,1-3000A (Type U, Rating: Class 4,CT inside Diameter min. 50 mm)	No	1						
4	Live-Line Insulator Weak/Faulty Detector	No	1						
5	Contact Voltage Detector (415 V- 36 kV) Sunrise link for universal head attachment with FRP Hotstick Voltage detection levels 11kV & 33 kV	No	1						
6	Temperature & Humidity Meter (Temperature measurement upto 100 deg C)	No	1						
7	Pole Leakage Current Meter (AC/DC range: 1mA to 300A) using flexible CT Sensor of 400 mm diameter.	No	1						
	TOTAL WITH GST (D)								

GRAND TOTAL WITH GST (A+B+C+D)	
---------------------------------------	--

NOTE:

- 1) The prices quoted are inclusive of training of BRPL officials (as per spec)
- 2) The bidder shall, at its own, handle all imported equipment's and handle all formalities for custom clearances, port charges, etc. if any.
- 3) All Tools & Tackles, Consumables and Commissioning Spares required to complete the work shall be included in the quoted rates.
- 4) Any other item not mentioned above but are required for successful completion of the works shall be deemed to be included in the above quoted rate
- 5) The payment for these items would be based on actual delivery of materials wherever required.
- 6) The above quantities are indicative and may vary based on actual requirement while execution of work. The payment would be made as per actual.
- 7) Price Variation Clause: The prices shall remain firm during the entire contract period.
- 8) Price Breakup of above must be attached by bidder.
- 9) Reverse Auction (RA) is mandatory and RA will be done on over value of (A+B+C+D) . The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all-inclusive prices offered during conclusion of the reverse auction event for arriving at order value.

SECTION VII

VENDOR CODE OF CONDUCT

Purchaser is committed to conducting its business in an ethical, legal and socially responsible manner. To encourage compliance with all legal requirements and ethical business practices, Purchaser has established this Vendor Code of Conduct (the "Code") for Purchaser's Vendors. For the purposes of this document, "Vendor" means any company, corporation or other entity that sells, or seeks to sell goods or services, to Purchaser, including the Vendor's employees, agents and other representatives. Fundamental to adopting the Code is the understanding that a business, in all of its activities, must operate in full compliance with the laws, rules and regulations of the countries in which it operates. This Code encourages Vendors to go beyond legal compliance, drawing upon internationally recognized standards, in order to advance social and environmental responsibility.

I. Labour and Human Rights

Vendors must uphold the human rights of workers, and treat them with dignity and respect as understood by the international community.

- Fair Treatment - Vendors must be committed to a workplace free of harassment. Vendors shall not threaten workers with or subject them to harsh or inhumane treatment, including sexual harassment, sexual abuse, corporal punishment, mental coercion, physical coercion, verbal abuse or unreasonable restrictions on entering or exiting company provided facilities.
- Antidiscrimination - Vendors shall not discriminate against any worker based on race, colour, age, gender, sexual orientation, ethnicity, disability, religion, political affiliation, union membership, national origin, or marital status in hiring and employment practices such as applications for employment, promotions, rewards, access to training, job assignments, wages, benefits, discipline, and termination. Vendors shall not require a pregnancy test or discriminate against pregnant workers except where required by applicable laws or regulations or prudent for workplace safety. In addition, Vendors shall not require workers or potential workers to undergo medical tests that could be used in a discriminatory way except where required by applicable law or regulation or prudent for workplace safety.
- Freely Chosen Employment - Forced, bonded or indentured labour or involuntary prison labour is not to be used. All work will be voluntary, and workers should be free to leave upon reasonable notice. Workers shall not be required to hand over government-issued identification, passports or work permits as a condition of employment.
- Prevention of Under Age Labour - Child labour is strictly prohibited. Vendors shall not employ children. The minimum age for employment or work shall be 15 years of age, the minimum age for employment in that country, or the age for completing compulsory education in that country, whichever is higher. This Code does not prohibit participation in legitimate workplace apprenticeship programs that are consistent with Article 6 of ILO Minimum Age Convention No. 138 or light work consistent with Article 7 of ILO Minimum Age Convention No. 138.
- Juvenile Labour - Vendors may employ juveniles who are older than the applicable legal minimum age for employment but are younger than 18 years of age, provided they do not perform work likely to jeopardize

their health, safety, or morals, consistent with ILO Minimum Age Convention No. 138.

- Minimum Wages - Compensation paid to workers shall comply with all applicable wage laws, including those relating to minimum wages, overtime hours and legally mandated benefits. Any disciplinary wage deductions are to conform to local law. The basis on which workers are being paid is to be clearly conveyed to them in a timely manner.
- Working Hours - Studies of good manufacturing practices clearly link worker strain to reduced productivity, increased turnover and increased injury and illness. Work weeks are not to exceed the maximum set by local law. Further, a work week should not be more than 60 hours per week, including overtime, except in emergency or unusual situations. Workers should be allowed at least one day off per seven-day week.
- Freedom of Association - Open communication and direct engagement between workers and management are the most effective ways to resolve workplace and compensation issues. Vendors are to respect the rights of workers to associate freely and to communicate openly with management regarding working conditions without fear of reprisal, intimidation or harassment. Workers' rights to join labour unions, seek representation and or join worker's councils in accordance with local laws should be acknowledged.

II. Health and Safety Vendors must recognize that in addition to minimizing the incidence of work-related injury and illness, a safe and healthy work environment enhances the quality of products and services, consistency of production and worker retention and morale. Vendors must also recognize that ongoing worker input and education is essential to identifying and solving health and safety issues in the workplace.

The health and safety standards are:

- Occupational Injury and Illness - Procedures and systems are to be in place to prevent, manage, track and report occupational injury and illness, including provisions to: a) encourage worker reporting; b) classify and record injury and illness cases; c) provide necessary medical treatment; d) investigate cases and implement corrective actions to eliminate their causes; and e) facilitate return of workers to work.
- Emergency Preparedness - Emergency situations and events are to be identified and assessed, and their impact minimized by implementing emergency plans and response procedures, including: emergency reporting, employee notification and evacuation procedures, worker training and drills, appropriate fire detection and suppression equipment, adequate exit facilities and recovery plans.
- Occupational Safety - Worker exposure to potential safety hazards (e.g., electrical and other energy sources, fire, vehicles, and fall hazards) are to be controlled through proper design, engineering and administrative controls, preventative maintenance and safe work procedures (including lockout/tagout), and ongoing safety training. Where hazards cannot be adequately controlled by these means, workers are to be provided with appropriate, well-maintained, personal

protective equipment. Workers shall not be disciplined for raising safety concerns.

- Machine Safeguarding - Production and other machinery is to be evaluated for safety hazards. Physical guards, interlocks and barriers are to be provided and properly maintained where machinery presents an injury hazard to workers.
- Industrial Hygiene - Worker exposure to chemical, biological and physical agents is to be identified, evaluated, and controlled. Engineering or administrative controls must be used to control overexposures. When hazards cannot be adequately controlled by such means, worker health is to be protected by appropriate personal protective equipment programs.
- Sanitation, Food, and Housing - Workers are to be provided with ready access to clean toilet facilities, potable water and sanitary food preparation, storage, and eating facilities. Worker dormitories provided by the Participant or a labour agent are to be maintained clean and safe, and provided with appropriate emergency egress, hot water for bathing and showering, and adequate heat and ventilation and reasonable personal space along with reasonable entry and exit privileges.
- Physically Demanding Work - Worker exposure to the hazards of physically demanding tasks, including manual material handling and heavy or repetitive lifting, prolonged standing and highly repetitive or forceful assembly tasks is to be identified, evaluated and controlled.

III. Environmental

Vendors should recognize that environmental responsibility is integral to producing world class products. In manufacturing operations, adverse effects on the environment and natural resources are to be minimized while safeguarding the health and safety of the public.

The environmental standards are:

- Product Content Restrictions - Vendors are to adhere to applicable laws and regulations regarding prohibition or restriction of specific substances including labeling laws and regulations for recycling and disposal. In addition, Vendors are to adhere to all environmental requirements specified by Purchaser.
- Chemical and Hazardous Materials -Chemical and other materials posing a hazard if released to the environment are to be identified and managed to ensure their safe handling, movement, storage, recycling or reuse and disposal.
- Air Emissions - Air emissions of volatile organic chemicals, aerosols, corrosives, particulates, ozone depleting chemicals and combustion by-products generated from operations are to be characterized, monitored, controlled and treated as required prior to discharge.
- Pollution Prevention and Resource Reduction -Waste of all types, including water and energy, are to be reduced or eliminated at the source or by practices such as modifying production, maintenance and facility processes, materials substitution, conservation, recycling and re-using materials.

- Wastewater and Solid Waste - Wastewater and solid waste generated from operations, industrial processes and sanitation facilities are to be monitored, controlled and treated as required prior to discharge or disposal.
- Environmental Permits and Reporting - All required environmental permits (e.g. discharge monitoring) and registrations are to be obtained, maintained and kept current and their operational and reporting requirements are to be followed.

IV. Ethics

Vendors must be committed to the highest standards of ethical conduct when dealing with workers, Vendors, and customers.

- Corruption, Extortion, or Embezzlement - Corruption, extortion, and embezzlement, in any form, are strictly prohibited. Vendors shall not engage in corruption, extortion or embezzlement in any form and violations of this prohibition may result in immediate termination as a Vendor and in legal action.
- Disclosure of Information - Vendors must disclose information regarding its business activities, structure, financial situation, and performance in accordance with applicable laws and regulations and prevailing industry practices.
- No Improper Advantage - Vendors shall not offer or accept bribes or other means of obtaining undue or improper advantage.
- Fair Business, Advertising, and Competition - Vendors must uphold fair business standards in advertising, sales, and competition.
- Business Integrity - The highest standards of integrity are to be expected in all business interactions. Participants shall prohibit any and all forms of corruption, extortion and embezzlement. Monitoring and enforcement procedures shall be implemented to ensure conformance.
- Community Engagement - Vendors are encouraged to engage the community to help foster social and economic development and to contribute to the sustainability of the communities in which they operate.
- Protection of Intellectual Property - Vendors must respect intellectual property rights; safeguard customer information; and transfer of technology and know-how must be done in a manner that protects intellectual property rights.

V. Management System

Vendors shall adopt or establish a management system whose scope is related to the content of this Code. The management system shall be designed to ensure (a) compliance with applicable laws, regulations and customer requirements related to the Vendors' operations and products; (b) conformance with this Code; and (c) identification and mitigation of operational risks related to this Code. It should also facilitate continual improvement.

The management system should contain the following elements:

- Company Commitment - Corporate social and environmental responsibility statements affirming Vendor's commitment to compliance and continual improvement.
- Management Accountability and Responsibility - Clearly identified company representative[s] responsible for ensuring implementation and periodic review of the status of the management systems.

- Legal and Customer Requirements - Identification, monitoring and understanding of applicable laws, regulations and customer requirements.
- Risk Assessment and Risk Management - Process to identify the environmental, health and safety and labour practice risks associated with Vendor's operations. Determination of the relative significance for each risk and implementation of appropriate procedural and physical controls to ensure regulatory compliance to control the identified risks.
- Performance Objectives with Implementation Plan and Measures - Areas to be included in a risk assessment for health and safety are warehouse and storage facilities, plant/facilities support equipment, laboratories and test areas, sanitation facilities (bathrooms), kitchen/cafeteria and worker housing /dormitories. Written standards, performance objectives, targets and implementation plans including a periodic assessment of Vendor's performance against those objectives.
- Training - Programs for training managers and workers to implement Vendor's policies, procedures and improvement objectives.
- Communication - Process for communicating clear and accurate information about Vendor's performance, practices and expectations to workers, Vendors and customers.
- Worker Feedback and Participation - Ongoing processes to assess employees' understanding of and obtain feedback on practices and conditions covered by this Code and to foster continuous improvement.
- Audits and Assessments - Periodic self-evaluations to ensure conformity to legal and regulatory requirements, the content of the Code and customer contractual requirements related to social and environmental responsibility.
- Corrective Action Process - Process for timely correction of deficiencies identified by internal or external assessments, inspections, investigations and reviews.
- Documentation and Records - Creation of documents and records to ensure regulatory compliance and conformity to company requirements along with appropriate confidentiality to protect privacy.

The Code is modelled on and contains language from the Recognized standards such as International Labour Organization Standards (ILO), Universal Declaration of Human Rights (UDHR), United Nations Convention against Corruption, and the Ethical Trading Initiative (ETI) were used as references in preparing this Code and may be useful sources of additional information.

Appendix- I

COMMERCIAL TERMS AND CONDITIONS – SUPPLY

SI No	Item Description	BRPL Terms and Conditions	BIDDER'S CONFIRMATION
1	Validity	240 days from the due date of submission or amended due date of submission	
2	Price basis	a) Firm , FOR Delhi store basis. Prices shall be inclusive of GST, freight up to Delhi stores. b) Unloading at stores / site - in vendor's scope c) Transit insurance in BRPL scope d) RTO Commercial Delhi Registration, Comprehensive Insurance – 1 Year + 3 Years Third Party, Road Tax, Delhi Permit, Govt Norms etc.	
3	Payment terms	A) 90% payment within 45 days on satisfactory supply, installation, testing, commissioning, RTO Registration, acceptance by BRPL for Machine and Tools and on submission of Bank Guarantee, bills duly certified by Engineer-In-Charge i.e., Head – CES, BRPL. B) Rest 10% within 30 days after completion of training and successfully handover of materials duly certified by Engineer-In-Charge i.e., Head – CES, BRPL.	
4	Delivery timeline	Within 10 Months from date of PO/ LOI.	
5	Defect Liability period	Comprehensive 5 Years Onsite Warranty from date of handover of Vehicle/ Tools.	
6	Penalty for delay	1% of basic price for every week delay subject to maximum of 10% of total POWO value of undelivered units/ remaining work.	
7	Performance Bank Guarantee	Contractor shall submit the performance bank guarantee equivalent to the 10% of the order value exclusive of GST at the time of claiming the last payment, with the validity of the bank guarantee till Defect Liability Period plus 3 months.	

Appendix- II

NO DEVIATION DECLARATION

NO DEVIATION –A (Technical)

NIT NO & DATE:

DUE DATE OF TENDER:

We hereby accept all terms and conditions of the technical scope of work as mandated in the tender documents subject to the following deviations as mentioned against the applicable technical qualifying requirement:

S.NO.	SL.NO OF TECHNICAL SPECIFICATION/SCOPE OF WORK	DEVIATIONS, IF ANY
--------------	---	---------------------------

SIGNATURE & SEAL OF BIDDER

NAME OF BIDDER

Note-The above template is indicative only, May vary depending on the nature of procurement/value.

NO DEVIATION –B (Commercial)

NIT NO & DATE:

DUE DATE OF TENDER:

We hereby accept all terms and conditions of the commercial requirement as mandated in tender document subject to the following deviations as mentioned against the applicable commercial qualifying requirement:

S.NO.	S. NO OF COMMERCIAL REQUIREMENTS	DEVIATIONS, IF ANY
--------------	---	---------------------------

SIGNATURE & SEAL OF BIDDER

NAME OF BIDDER

Note:-It is important to explicitly include all such terms and conditions which are considered absolutely necessary to be accepted by bidder without any deviation. Tender document shall have a stipulation that deviation to such criteria shall make the bid liable for rejection.

APPENDIX III

BID FORM

To,

Head of Department
Contracts & Material Deptt.
BSES Rajdhani Power Ltd
New Delhi 110019

Sir,

1 We understand that BRPL is desirous of execution of
.....(Name of work)

2 Having examined the Bidding Documents for the above named works, we the undersigned, offer to deliver the goods in full conformity with the Terms and Conditions and technical specifications for the sum indicated in Price Bid or such other sums as may be determined in accordance with the terms and conditions of the contract .The above amounts are in accordance with the Price Schedules attached herewith and are made part of this bid.

3 If our Bid is accepted, we under take to deliver the entire goods as) as per delivery schedule mentioned in Section IV from the date of award of purchase order/letter of intent.

4 If our Bid is accepted, we will furnish a performance bank guarantee for an amount of 10% (Ten) percent of the order value exclusive of GST for due performance of the Contract in accordance with the Terms and Conditions.

5 We agree to abide by this Bid for a period of 180 days from the due date of bid submission & subsequent corrigendum/amendment/extension of due date of submission. It shall remain binding upon us and may be accepted at any time before the expiration of that period.

6 We declare that we have studied the provision of Indian Laws for supply of equipments/materials and the prices have been quoted accordingly.

7 Unless and until Letter of Intent is issued, this Bid, together with your written acceptance there of, shall constitute a binding contract between us.

8 We understand that you are not bound to accept the lowest, or any bid you may receive.

9 There is provision for Resolution of Disputes under this Contract, in accordance with the Laws and Jurisdiction of Contract.

Dated this..... day of..... 20.....

Signature..... In the capacity of

.....duly authorized to
sign for

and on behalf of
(IN BLOCK CAPITALS).....

Appendix IV

ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT

(To be signed & stamped by the bidder along-with bid)

BSES Rajdhani Power Ltd (BRPL) intends to use reverse auction through SAP-SRM tool as an integral part of entire tendering process. All techno-commercially qualified bidders shall participate in the reverse auction.

The following terms and conditions are deemed as accepted by the bidder on participation in the bid:-

1. In case of bidding through Internet medium, bidders are advised to ensure availability of all associated infrastructure as required to participate in the reverse auction event. Inability to bid due to telephone glitch, internet response issues, software & hardware hangs/failures, power failures or any other reason shall not be the responsibility of BRPL.
2. In case bidder fails to participate in the reverse auction event due to any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid submitted by them as a part of tender shall be considered as bidder's Final No Regret offer. Any off-line price bids received from a bidder in lieu of non-participation in the reverse auction event shall be rejected by BRPL.
3. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the reverse auction event.
4. The bidder shall be prepared with competitive price quotes during the day of reverse auction event.
5. The prices quoted by bidder in reverse auction event shall be on FOR Landed cost BRPL Store/site basis inclusive of all relevant taxes, duties, levies, transportation charges etc.
6. The prices submitted by the bidder during reverse auction event shall be binding on the Bidder.
7. The bidder agrees to non-disclosure of trade information regarding bid details e.g. purchase, Identity, bid process/technology, bid documentation etc.
8. BRPL will make every effort to make the bid process transparent. However award decision of BRPL will be final and binding on the bidder.
9. The prices submitted during reverse auction event shall be binding on the bidder.
10. No request for Time extension of the reverse auction event shall be considered by BRPL.
11. BRPL shall provide the user id and password to the authorized representative of the bidder. Authorization letter in lieu of the same shall be submitted along with the signed and stamped acceptance form.
12. The original price bids of the bidders shall be reduced on pro-rata basis against each line item based on the final all inclusive prices offered during conclusion of the reverse auction event for arriving at contract amount

APPENDIX V

FORMAT FOR EMD BANK GUARANTEE

(To be issued in a Non Judicial Stamp Paper of Rs.50/-purchased in the name of the bank)

Whereas [*name of the Bidder*] (herein after called the "Bidder") has submitted its bid dated [*date of submission of bid*] for the supply of [*name and/or description of the goods*] (here after called the "Bid").

KNOW ALL PEOPLE by these presents that WE [*name of bank*] at [*Branch Name and address*],having our registered office at[*address of the registered office of the bank*](herein after called the "Bank"),are bound unto BSES Rajdhani Power Ltd., with it's Corporate Office at BSES Bhawan Nehru Place, New Delhi -110019 ,(herein after called —the "Purchaser")in the sum of Rs./- (Rupees only) for which payment well and truly to be made to the said Purchaser, the Bank binds itself, its successors, and assigns by these presents.

Sealed with the Common Seal of the said Bank this _____ day of _____ 20_____.

THE CONDITIONS of this obligation are:

- 1 If the Bidder withdraws its Bid during the period of bid validity specified by the Bidder on the Bid Form ; or
2. If the Bidder, having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity:
 - (a) Fails or refuses to execute the Contract Form, if required; or
 - (b) Fails or refuses to furnish the performance security, In accordance with the Instructions to Bidders/ Terms and Conditions;

We undertake to pay to the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that is its demand the purchaser will note that amount claimed by it is due to it, owing to the occurrence of one or both of the two condition(s), specifying the occurred condition or condition(s).

This guarantee will remain in force up to and including One Hundred Eighty(180) days after the due date of submission bid, and any demand in respect thereof should reach the Bank not later than the above date.

(Stamp & signature of the bank)

Signature of the witness

APPENDIX - VI

LITIGATION HISTORY

Year	Name of client	Details of contract & date	Cause of Litigation/ arbitration and dispute	Disputed amount

APPENDIX - VII

CURRENT CONTRACT COMMITMENTS/ WORK IN PROGRESS

Year	Name of client	Details of contract & date	Value of outstanding work	Estimated completion date

APPENDIX - VIII

FINANCIAL DATA

(Duly Certified by Chartered Accountant)

	Actual in previous 5 financial years				
	FY 23-24	FY 22-23	FY 21-22	FY 20-21	FY 19-20
Total assets					
Current assets					
Total Liability					
Current Liability					
Profit before taxes					
Profit after taxes					
Sales Turnover					

APPENDIX-IX
FORMAT FOR PERFORMANCE BANK GUARANTEE

(TO BE ISSUED ON RS 100/- STAMP PAPER)

Bank Guarantee No.

Place:

Date:

To
BSES Rajdhani Power Limited

Whereas BSES RAJDHANI POWER LTD (hereinafter referred to as the "Purchaser", which expression shall unless repugnant to the context or meaning thereof include its successors, administrators and assigns) has awarded to M/s. with its Registered/Head Office at

(hereinafter referred to as the "Supplier" which expression shall unless repugnant to the context or meaning thereof, include its successors administrators, executors and assigns), a contract no. dated (the Contract);

And whereas the value of the Contract is Rs. (The Contract Value).

And whereas it is a condition of the Contract that the Supplier shall provide a Performance Bank Guarantee for the due and faithful performance of the entire purchase order for a sum equivalent to 10 % of the order Value exclusive of GST to the Purchaser.

And whereas the Bank under instructions from the Supplier has agreed to guarantee the due performance of the Contract.

Now it is agreed as follows:

1. We (Name of the Bank) having its Head Office at (hereinafter referred to as the Bank, which expression shall unless repugnant to the context or meaning thereof, include its successors, administrators, executors and assigns) shall indemnify and keep indemnified the Purchaser for, and guarantee and undertake to pay to the Purchaser immediately on written demand, a sum equivalent to % of the Contract Value as aforesaid at any time upto (day/month/year) without any demur, reservation, contest, recourse or protest and/or without any reference to the Supplier, against all losses, damages, costs and expenses that may be caused to or suffered by the Purchaser by reason of any default on the part of the Supplier in performing and observing any and all the terms and conditions of the Contract or breach on the part of the Supplier of terms or conditions of the Contract.

2. The demand shall consist only of an original letter issued by Purchaser stating that the Supplier has failed to fulfill its obligations under the Contract. Such demand made by the Purchaser on the Bank shall be conclusive and binding notwithstanding any difference or dispute between the Purchaser and the Supplier or any difference or dispute pending before any Court, Tribunal, Arbitrator or any other authority.

3. The Bank undertakes not to revoke this guarantee during its currency without previous written consent of the Purchaser and further agrees that the guarantee herein contained shall continue to be enforceable during the period that would be taken for satisfactory performance and fulfillment in all respects of the Contract or in the event of any dispute between the Purchaser and Supplier until the dispute is settled (provided that the claim/ demand under this guarantee is lodged /referred during the currency of this guarantee) or till the Purchaser discharges this guarantee whichever is earlier.

4. The Purchaser shall have the fullest liberty without affecting in any way the liability of the Bank under this guarantee from time to time to extend the time for performance of the Contract by the Supplier. The Purchaser shall have the fullest liberty, without affecting the liability of the Bank under this guarantee, to postpone from time to time the exercise of any powers vested in them or of any right which they might have against the Supplier, and to exercise the same at any time in any manner, and either to enforce or to forbear to enforce any covenants, contained or implied, in the Contract. or any other course or remedy or security available to the Purchaser. The Bank shall not be released of its obligations under these presents by any exercise by the Purchaser of its liberty with reference: to the matters aforesaid or any of them or by reason of any other act or forbearance or other acts of omission or commission on the part of the Purchaser or any other indulgence shown by the Purchaser or by any other matter or thing whatsoever which under law would, but for this provision, have the effect of relieving the Bank.

5. The Bank agrees that the Purchaser and its option shall be entitled to enforce this guarantee against the Bank as a principal debtor, in the first instance without proceeding against the Supplier and notwithstanding any security or other guarantee that the Purchaser may have in relation to the Supplier's liabilities.

6. Notwithstanding anything contained hereinabove the liability of the Bank under this guarantee is restricted to a sum equivalent to % of the Order Value ie. Rs.(Rupees) and it shall remain in force upto and including . Unless a demand to enforce a claim under this guarantee is made against the Bank within 3 months from the the above date of expiry i.e. up to all the rights of the Purchaser under the said guarantee shall be forfeited and the Bank shall be released and discharged from all liabilities thereafter.

7. This Performance Bank Guarantee shall be governed by the laws of India.

Dated this Witness

day of 20..... at

1. For Bank
2. Signature
Name Power of Attorney No:
Banker's Seal

APPENDIX-X
FORMAT FOR PRE BID QUERY SUBMISSION

S. No	Query Type Technical/ Commercial	Page No	Clause No	BRPL Clause	Bidder Query	Bidder Company Name	Bidder Contact Person	Bidder Contact No	Bidder Email ID
1									
2									
3									

TECHNICAL SPECIFICATION
FOR
INSULATED AERIAL WORKING PLATFORM WITH
ASSOCIATED TOOLS AND TACKLES
Specification no – BSES-TS-169-IAWP-R0

SCOPE

- This specification covers design, manufacture, testing at manufacturer's works, packing and delivery of Insulated aerial working platform for 11kV/33kV Voltage level.
- Insulated aerial working platform shall be complete with all components and accessories, which are necessary or usual for their efficient performance and trouble free operation under the various operating and atmospheric conditions. Such parts that may have not been specifically included, but otherwise form part of the Insulated aerial working platform as per standard trade and/or professional practice and/or are necessary for proper operation of insulated aerial working platform, will be deemed to be included in this specification.
- Scope also includes- its components, Tools, Measuring instruments & Spares as per Annexure A, B & C, All relevant drawings, data and instruction manuals.

CODES AND STANDARDS

Insulated Aerial working Platform should be designed and manufactured in accordance with the following standards.

IEC 61057-2017	Live working - Insulating aerial devices for mounting on a chassis.
IS 14957-2021	Aerial Devices with insulating boom used for live working.
ANSI A92.2	American National Standard for Vehicle-Mounted Elevating and Rotating Work Platforms.
EN ISO 12100	Safety of machinery –General principles for design Risk assessment & Risk reduction.
EN ISO 12100-2	Safety of machinery-Basic concepts, general principles for design.
EN 349	Safety of machinery. Minimum gaps to avoid crushing of parts of the human body.
EN ISO 13849-2	Safety of machinery-Safety-related parts of control systems.
EN ISO 138	Plastics pipes, fittings and valves for the transport of fluids.
ISO 16368	Mobile elevating work platforms — Design calculations, safety requirements and test methods
EN 280	Mobile elevating work platforms
ISO 13850	Safety of machinery – Emergency stop function – Principles for design
ASTM F711 and/ or IEC 60855	Insulated foam filled tubes and solid rods for live line working
ASTM D1048	Standard specification Rubber Insulating Blankets
ASTM F712	Standard test Method and specifications for Electrically insulating Plastic guard equipment's for protection of workers
ASTM D1050-90 or Equivalent	Standard Specification for Rubber Insulating Line Hose
ASTM D120	Standard specification for Insulated Rubber Gloves

ASTM F696-06:	Leather Protectors for rubber insulating gloves
ASTM D1051	Standard specification for Rubber Insulating Sleeves
ASTM F1506	Standard Performance Specification for Flame Resistant and Electric Arc Rated Protective Clothing Worn by Workers Exposed to Flames and Electric Arcs,
ASTM F2321	Standard Specification for Flexible and Rigid Insulated Temporary By-Pass Jumpers
ASTM F1826	Standard Specification for Live Line and Measuring Telescoping Tools

CONSTRUCTION

Hot-Line Maintenance Type	Articulating Telescopic aerial device with an insulated upper boom and lower boom with insulator/insulation gap in the articulating arm with upper and lower controls. Hoses and pipes are positioned inside the boom structure for maximum protection against damages or accidental fall of tools, etc. The telescopic boom allows vertical and horizontal movements.
Techniques/ Methods	By Insulating Gloves or Rubber Gloves Technique in which a live line worker is electrically protected by insulating gloves and other insulating equipment, and carries out the work in direct mechanical contact with live parts.
Material	Structure and boom shall be of high strength steel for maximum rigidity and maximum safety while working with insulator/insulating gap within the booms and bucket shall be of Fiberglass which will not absorb moisture.
Control panels	Aerial devices for live working shall have at least two control panels, one at the bucket and another near the turntable. The upper controls shall be in or beside the platform within easy reach of the operator. The lower control panel shall take priority over the upper control panel except for control of the jibs and other functions. In particular, a control at the bucket which becomes activated shall under no circumstances prevent the control panel near the turntable from functioning normally. The boom position controls and their unlocking devices shall return to their neutral position and stop movement when released by the operator. All controls shall be plainly marked as to their function and protected from damage and inadvertent activation.

Control Placard	Shall install Placard or placards at each control station describing the motion or action which will be produced by each operation of a switch, valve handle, or other means of actuating a control.
Auxiliary power system	If the main source of power breaks down, all movements shall stop. There shall be an emergency source of power providing at least rotation of the turntable, as well as lifting and descent of the bucket. This emergency system shall be operated from the vehicle chassis and its operation should also be possible from the bucket.
Rotation of the turntable	Rotation of the Turntable shall be 360deg.C.
Minimum side reach/outreach	8000 mm
Working Height from Ground	Minimum 12500 mm
Platform Height from Ground	Minimum 10500 mm
Monitoring of leakage current	The current electrical circuit should be designed so that it is not damaged due to surges produced by make or break of contact. High resistance components that is dielectrically tested to 46 kV AC; Current leakage shall be less than 1mili Amps.
Covers	The covers shall be such that all the parts like pins etc shall be covered.
Material handling Jib/Winch	An auxiliary arm at the upper boom tip to support loads with minimum capacity of 200 kgs. Upper buckets shall be with Upper bucket controls.
Liner	Platform floor shall be covered with Liners.
Hydraulic Controls	<p>100% hydraulic system with basket controls in order to guarantee the maximum reliability and to allow great accuracy in movements, the system shall be equipped with pilot-operated check valves or other appropriate devices to prevent free fall in the event of hydraulic line failure.</p> <p>For a longer and guaranteed service life of the hydraulic system all the switchable controls by the basket and all the hydraulic hoses positioned inside the booms that reach the distributor in the turret work. The hydraulic system in low pressure guarantees a long-lasting life to the platform with maintenance costs reduced at minimum.</p> <p>The fully hydraulic controls allow 2 simultaneous movements and provide more sensitivity in progressive and gradual maneuvers with respect to the</p>

	<p>electro-hydraulic controls. Fully hydraulic controls are free of any damage to electrical components caused by rainy weather, humidity, frequent use, etc. The stop valves are directly mounted on each hydraulic cylinder.</p> <p>Controls levers with automatic return in rest position. The movements of the whole platform are activated by levers, respectively positioned.</p>
Engine Start/Stop & Secondary storage System.	<p>12/24 VDC powered motor and pump assembly for temporary operation of the unit in a situation where in the primary hydraulic source fails. Electric motor is powered by the chassis battery. This feature allows the operator to completely stow the booms, platform, and outriggers. Secondary Stowage & Start/Stop is activated with an air plunger at the platform or momentary switch at the lower control station and outriggers.</p>
Fall Protection System	<p>Fall Protection System to include one body harness and decelerating type lanyard. Harness has adjustable slide buckle on shoulder straps, Velcro chest strap, and interlocking buckles on leg straps and nylon web loop fall arrest attachment on back. Lanyard has built in shock absorber that allows automatic adjustability.</p>
Outriggers/Platform Levelling	<p>Platform leveling is achieved by a hydraulic master- slave leveling system. Hydraulic system shall be open center(Full Pressure), maximum flow 6 GPM</p>
Max. Operating Pressure	<p>Maximum operating pressure shall be as per OEM.</p>
Control console	<p>The fully hydraulic controls allow 2 simultaneous movements and provide more sensitivity in progressive and gradual maneuvers with respect to the electro-hydraulic controls. Fully hydraulic controls are free of any damage to electrical components caused by rainy weather, humidity, frequent use etc.</p> <p>The stop valves are directly mounted on each hydraulic cylinder.</p> <p>Controls levers with automatic return in rest position. The movements of the whole platform are activated by levers, respectively positioned in the following controls panels:</p> <ol style="list-style-type: none"> 1) Basket: Platform control board. 2) Turret: platform control board for emergency only. 3) Sub frame: outriggers control board.

Platform leveling	Levelling shall be with 4 nos. of outriggers; each pair is made by 2 hydraulic jacks with double valve connected to the main hydraulic circuit i.e Hydraulic Mater-slave leveling system
Steel Reservoir capacity	Minimum 15 gallon capacity.
Paint	All metal components to be protected against corrosion
Rated Voltage Class	Up to 46 KV (Category C)
Safety	<ol style="list-style-type: none"> 1) Interlock between outriggers and boom i.e. Outriggers to get blocked when the boom is not in rest position and boom to get blocked when outriggers are not completely stabilized. 2) Boom and outriggers block when the Power Take Off in the cab is not engaged. 3) Insulated Platform will not be in operations until and unless the outriggers are deployed and vice-versa. 4) Engine start/Stop function availability at the platform. 5) Emergency stop availability at ground and bucket 6) Upper control handle shall include interlock guard that eliminate the potential of inadvertent motion of the boom etc.
Bucket	Bucket shall have a capacity of minimum 270 kgs (Min. 2 men Space) and shall be insulated for voltage class up to 46 kV and with lib/wrinch for holding tools/equipment and with upper controls.

PAINT

Paint Type	Powder coated. Pure Polyester base grade-A, structure finish.
Paint Shade	To be furnished.
Paint Thickness	Minimum 80 microns

NAMEPLATES AND MARKINGS

Nameplates	To be provided as per the following description
Nameplates Details	<p>Shall have a nameplate clearly indicating the following:</p> <ol style="list-style-type: none"> (i) Customer Name. (ii) Equipment Description. (iii) Make, ModelNo.&Manufacturer's serial number. (iv) Rated capacity.

	<p>(v) Max. Recommended operating pressure of hydraulic /Pneumatic systems or both.</p> <p>(vi) Caution or restrictions of operation or both.</p> <p>(vii) Platform height</p> <p>(viii) Voltage Class.</p> <p>(ix) BSES, PO No. & date.</p> <p>(x) Drawing Reference No/Chart/ Schematic</p> <p>(xi) Year of Manufacture</p> <p>(xii) Control Voltage</p> <p>(xiii) Customer care No</p>
Material	Structure and boom shall be of high strength steel for maximum rigidity and maximum safety while working with insulator/insulating gap within the booms and bucket shall be of Fiberglass which will not absorb moisture.
Fixing	Shall be as per relevant IS/IEC
Markings	Shall install Placard or placards at each control station describing the motion or action which will be produced by each operation of a switch, valve handle, or other means of actuating a control.

QUALITY ASSURANCE, INSPECTION & TESTING

Vendor quality plan	To be submitted for purchaser approval
Type tests	Product must be type tested as per Indian Standards or IEC/relevant Standard.
Type test report validity	Last five years from the date of bid submission
Acceptance and Routine tests	As per specifications and relevant standards. Charges of these tests shall be deemed to be included in the equipment price. Purchaser reserves the right to witness all the tests. Acceptance & Routine Test to be carried out at ERDA/CPRI.
Notice to Purchaser for conducting tests	Atleast three weeks in advance
Test reports of acceptance and routine test before dispatch	Three copies to be submitted.

DEVIATIONS

Deviation from this specification shall be stated in writing with the tender by reference to the specification clause/ GTP/ Drawing and description of alternative offer. In absence of such a statement, it shall be assumed by the buyer that the seller complies fully with this specification.

PACKING

Packing Protection	Against corrosion, dampness, heavy rains, breakage and vibration. During transportation/ transit and storage, Aerial insulated platform may be subjected to outdoor conditions. Hence, packing shall be weatherproof.
Packing for accessories and spares	Robust Woodennon returnable packing case with all the above protection & identification Label.
Packing Identification Label to be provided on each packing case with the following details	
Individual serial number	
Purchaser's name	
PO number (along with SAP item code, if any) & date	
Equipment Tag no. (if any)	
Destination	
Project Details	
Manufacturer / Supplier's name	
Address of Manufacturer / Supplier / it's agent	
Description and Quantity	
Country of origin	
Month & year of Manufacturing	
Case measurements	
Gross and net weights in kilograms	
All necessary slinging and stacking instructions	

SHIPPING

Shipping	The bidder shall ascertain at an early date and definitely before the commencement of manufacture, any transport limitations such as weights, dimensions, road culverts, Overhead lines, free access etc. from the Manufacturing plant to the project site. Bidder shall furnish the confirmation that the proposed Packages can be safely transported, as normal or oversize packages, up to the site. Any modifications required in the infrastructure and cost thereof in this connection shall be brought to the notice of the Purchaser.
	The seller shall be responsible for all transit damage due to improper packing.

HANDLING AND STORAGE

Handling and Storage	Manufacturer instruction shall be followed. Detail handling & storage instruction sheet / manual needs to be furnished before commencement of supply.
----------------------	---

TRAINING

	Training	<p>Bidder Shall provide 1 no. of certified trainer with one associate for minimum 30 days for training of our BRPL workers for Rubber Glove method (Min. Batch of 15 BRPL workers).</p> <p>Trainers shall be certified with OEM/Govt. recognized agency with minimum experience of 15 nos. of Trainings (On live line) executed in India/Abroad (Min. 5 nos. of trainings to be executed of Rubber glove method & rest of other methods).</p> <p>After completion of training; Training certificates shall be issued to all trainees of BRPL by Training company.</p> <p>Note: With Tender document; cost of training per week to be provided.</p>
--	----------	--

GUARANTEE

	Guarantee	<p>SELLERs guarantee shall expire Sixty (60) months after the date of successful commissioning of GOODS or Sixty six (66) months from the date of last dispatch of GOODS (last Consignment), whichever is earlier for aerial working platform associated with Tools & instruments.</p> <p>If during the Defects Liability Period any GOODS are found to be defective, they shall be promptly replaced or rectified by SELLER at its own cost (including the cost of dismantling and reinstallation) on the instructions of BUYER (within 30 days from the date of receipt of intimation) at its own cost.</p>
--	-----------	---

GENERAL SERVICE CONDITIONS:

S.No.	Particulars	Data
1	Design Ambient temperature	50 °C
2	Seismic Condition	Zone IV as per IS 1893
3	Wind Pressure	195 kg/M ² upto elevation of 30 M as per IS 875
4	Maximum Relative Humidity	100%
5	Maximum Altitude above Sea level	1000M
6	Rainfall	750mm (concentrated in 4 months)
7	Pollution level	Heavy/Dry

ANNEXURE A: -TOOLS LIST (SUITABLE FOR 11 kV & 33 kV)

1) For 11 kV(Suitable for Dog, Wolf, Goat conductor)

Description	UOM	Qty
Flexible Rubber line hose; Length -4.5 feet, Coupler at one end	No	12
Flexible Rubber Cover for Jumpers-Large ,Minimum Length -2.9 feet	No	2
Flexible Rubber Cover for jumpers-small ,Length -1.25 feet	No	2
Insulator Cover, 16"(L) x 6.5"(Dia)(Suitable for Porcelain –Pin type insulators)	No	4
Round Covers (100 mm), Overall length: 300 mm and Voltage rating of 26.4 kV-Phase-to-Phase	No	3
Round Covers (100 mm), Overall length: 600 mm and Voltage rating of 26.4 kV-Phase-to-Phase	No	3
Rope lock assembly for securing pole covers on poles. Length shall be suitable to hold pole covers tight.	No	2
Spiral Conductor Cover with Gripall Adapter; suitable for crossarm and insulators	No	2
Blanket, Solid 36" X 36"	No	10
Slotted Rubber Blanket , Solid 22" X 22"	No	5
Rubber Glove - Blanket Clamp suitable for installation of rubber insulating blankets	No	18
Klondlike Clamps / Large	No	6
Protector ,Glove 14 Inch for Size 8.5	No	2
Straight Cuff Gloves Color Yellow under Black(Size 8.5& Length 14 Inch)	No	2
Arc Flash 12 Cal/cm2 Cover with Front Lift hood(Visor Dimensions:10" width & 8"Height)	No	2
Special Grade Safety Harness for Live Line Work(Size :Medium, Height:5'8"-5'11" & Chest:36" to 40")	No	2
Special Grade Safety Lanyard attachment (Type:1" tubular nylon Web with snaphook& loop end) for fall arrest	No	2
Rubber Sleeves(Size : Large; Dipped Regular type)	No	4
Blanket Cannister 37" with Handle, Diameter 7"	No	4
Glove Bag 18", Cotton Canvas	No	4
Sleeve Bag,Length: 15"	No	4
Line hose Lifting Bag(Diameter:7" & Length	No	

48")		1
12 ft. 4/0 Primary Jumpers, 400 amps continuous current rating	No	3
Insulated Hanger (Insulated parking stand for jumper/grounding clamps)	No	2
Temporary Mechanical Jumper Holder (V-Notch design that securely holds jumpers preventing sliding) Fitment over bare conductors & class line hose up to 2.5"OD.	No	4
Crossarm-mount temporary conductor support(Made up of aluminum),Maximum Workload: Rated for 65 kg.	No	3
ø32mm grip-all Clampsticks (shotgun) 8 feet long(include Jaw,Jawholder,Safety stop, Lockbar& Latch)	No	1
Lightweight telescopic stick with universal head(FRP Triangular Telescopic Rod with extendable length of min. 5 meters with 4 nos. of sections & closed height shall be less than 1.75 meters).	No	1
Hoist Link Stick- Length 15", Diameter 1.25" Working load limit: 1814 kg	No	1
Hot Stick Wiping Cloth	No	4
Combination Tool Board & Tool Tray (only trays)	No	1
Polymer Bucket hooks suitable to attach tool storage bags and hold the load of the hotline tools.	No	4
Wire Gripper (Suitability upto 23 mm) ,Working load limit for 2268 kg.	No	1
Insulated handle Bolt cutter / Hardware cutter	No	1
Web Strap Hoists(NylonHoist) 1 ton	No	1
Web slings endless single ply nylon slings capacity up to 4000 lbs	No	2
Complete handline side opening hand line block with swivel hook) Complete handline made up of side opening block with swiveling hook & Safety snap ½ inch polypropylene rope – working height of 40 feet and rope length of 80 ft with handline hook and handline snap	Set	1
Overhead Circular Saw- Hydraulic (Power Source: Truck) with suitable hose pipes. Insulated fiberglass extension tube , 100 kV tested with length of 2.1 meter, diameter circular blade with 9"	Set	1
Glove Tester Pneumatic	Set	1
Truck Grounding Kit with 10meter Cable metal or hard plastic cable reel with handle PVC	Set	1

cable of 16 sqmm and with 10 meter long earth spike of min. 1 foot.		
Safety Helmet with glasses	Set	5
Traffic Safety Cones with Plastic Chains(3 nos per set)	Set	2
First Aid Kit(Metal box with all necessary first aid medicines and tools such as adhesive bandages, Sterile gauze pads, adhesive tape, Non-adherent dressings, Wound dressings, Roller bandages, Triangular bandages, safety pins, disposable gloves,scissors, Tweezers, Resuscitation Face Shield, First Aid Manual , Emergency blanket, Instant Cold Packs, over-the counter painrelievers, Hydrocortisone cream etc.)	No	1
Tree Pruning Saw with Universal Fitting, Hook and Triple Chip Cutting Blade with Saw handle. Min. Length of blade -Min.330 mm Min. cutting area of blade-12 inches	No	4
Complete Hand tools set including 9) Spanners (open-end & Ring type) with sizes Full metric (8mm to 24 mm) & SAE (1/4" to 1-1/8") sets. 10) Sockets (6 point deep and shallow) 3/8"&1/2" drive. 11) Ratchet (Reversible fine-tooth-72 tooth & 3",6"&10" locking extensions) 12) Screwdriver (Type 1,2,3 phillips& various Flat- Head widths) 13) Pliers (Type : Needle-nose(for cotter pins), Lineman's pliers)) 14) Torque wrench (Type 1/2" Drive click – type or digital with range 50 lb-ft to 250 lb-ft) 15) Allen/Hex-keys (Type:T Handle or socket-Head bits(long reach) Sizes 1/8" to 3/8") 16) Grease Gun	No	1
Tools Bucket-Large(12"x15")	No	1
Protector ,Glove 14 Inch for Size 9.5	No	2
Straight Cuff Gloves Color Yellow under Black(Size 9.5 &Length 14 Inch)	No	2

• **For 33 kV(Suitable for Goat conductor, Zebra)**

Description	UOM	Qty
Cover Blanket with Solid Rubber: Large 35-36 inch x 35-36 inch	No	12
Cover Blanket with Slotted Rubber: Large 35-36 inch x 35-36 inch	No	4
Cover Blanket with Slotted Rubber: Small 22 inch x 22 inch	No	4
Blanket Button	No	50
Rubber Glove Clamp	No	24
Flexible Rubber Stinger Cover for Jumpers - 36 inch long(Type II)	No	2
Spiral Conductor Cover with Gripall Adapter (36.6kV) suitable for crossarm and insulators	No	2
Ribbed Pole Cover (150 mm), Overall length: 300 mm and Voltage rating of 36.6 kV-Phase-to-Phase	No	4
Ribbed Pole Cover (230 mm), Overall length: 300 mm and Voltage rating of 36.6 kV-Phase-to-Phase	No	1
Ribbed Pole Cover (230 mm), Overall length: 600 mm and Voltage rating of 36.6 kV-Phase-to-Phase	No	1
Locking Device for securing Pole Covers on poles. Length shall be suitable to hold pole covers tight	No	4
ConductorCover-36.6kVVoltage rating (Phase-to-Phase) with Grip all adaptor(Length :5 feet)	No	12
Straight Cuff Rubber Gloves-(Size 8.5 & Length 14")	Pair	3
Straight Cuff Rubber Gloves-(Size9& Length 16")	Pair	3
Premium Leather Glove Protector(Size8.5& Length 14")	Pair	10
Premium Leather Glove Protector(Size9.5& Length 14")	Pair	10
Molded Rubber Insulating Sleeve,(36kV)- Dipped type	Pair	3
Sleeve Straps with Buttons15"	Pair	10
Glove Protector Bag(Length 18")	No	6
Sleeve Protector Bag(Size 30 x13 inch)	No	5
Live Line Wire Gripper- Suitable for size of 8 mm upto 20mm	No	1
Live Line WireGrip-Suitable for size of 18 to 31mm	No	1
Endless Single Ply Nylon Slings- Length 4 feet with width 2"	No	6
Hoist Link Stick- Length:15",Diameter 1.25" Working load limit: 1814 kg	No	1
Nylon Strap Hoist-2 Ton	No	1

GripAllClampStick-8Feet	No	1
FRP Triangular Unidirectional Telescopic Stick- 7 meter, 4 sections with extendable length of minimum 5 meters and closed height shall be less than 2.25 meters.	No	1
FRP Triangular Unidirectional Telescopic Stick- 2meter, 2 sections	No	1
Set of RopeBlock-120ftrope 1)Two double blocks with 120 ft of ½ in Rope 2) Swivel Top	Set	1
Tree Pruning Saw with Universal Fitting, Hook and Triple Chip Cutting Blade with Saw handle Min. Length of blade -Min.330 mm Min. cutting area of blade-12 inches	No	4
Tree Trimmer- Hydraulic (Power Source: Truck) with suitable hose pipes. Insulated fiberglass extension tube , 100 kV tested with length of 2.1 meter, diameter circular blade with 9"	No	1
Shepherd hook, Insulator Forks with universal link for stick attachment	Set	1
Glove Tester: Inflator	No	1
Temporary Jumper(36kV), Overall Length: 3.60 m, Rated Current: 350 A, HotStickClamp:4to29mm	Set	3
Temporary Mechanical Jumper Holder/Cuff(V-Notch design that securely holds jumpers preventing sliding) Fitment over bare conductors & class line hose up to 2.5"OD.	Set	4
RubberBlanketCanister 37" with Handle, Diameter 7"	No	12
LinehoseLiftingBag,48inchlong,7inchdia.	No	3
Tarpaulin,12ftx12ft	No	2
SafetyHelmetwith glasses	Set	5
ArcFlash12Cal/cm2CoverwithFrontLifthood (Visor Dimensions:10" width & 8"Height)	No	2
Complete Hand tools set including 9) Spanners (open-end & Ring type) with sizes Full metric (8mm to 24 mm) & SAE (1/4" to 1-1/8") sets. 10) Sockets (6 point deep and shallow) 3/8"&1/2" drive. 11) Rachet (Reversible fine-tooth-72 tooth & 3",6"&10" locking extensions) 12) Screwdriver (Type 1,2,3 phillips& various Flat-Head widths) 13) Pliers (Type : Needle-nose(for cotter pins), Lineman's pliers)) 14) Torque wrench (Type ½" Drive click –type or digital with range 50 lb-ft to 250 lb-ft) 15) Allen/Hex-keys (Type:T Handle or socket-	Set	1

Head bits(long reach) Sizes 1/8" to 3/8") 16) Grease Gun		
Bold/ConductorCutterwithinsulatedhandles	No	1
Traffic Safety Cones with Plastic Chains(3 nos. per set)	Set	2
Insulated Hanger for voltage class 36kV – Insulated parking stand for jumpers/ grounding clamps.	No	3
Crossarm-mount Temporary Conductor Support(Made of aluminium),Maximum Workload:Rated for a 68 kg	No	3
InsulatorCover,16"(L)x6.5"(Dia),For Pin insulators	No	6
InsulatorCover,7"x16" suitable to use with line hose to cover post-type insulators	No	6
Truck Grounding Kit with 10meter Cable metal or hard plastic cable reel with handle PVC cable of 16 sqmm and with 10 meter long earth spike of min. 1 foot.	No	1
First Aid Kit(Metal box with all necessary first aid medicines and tools such as adhesive bandages, Sterile gauze pads, adhesive tape, Non-adherent dressings, Wound dressings, Roller bandages, Triangular bandages, safety pins, disposable gloves,scissors, Tweezers, Resuscitation Face Shield, First Aid Manual , Emergency blanket, Instant Cold Packs, over- the counter pain relievers, Hydrocortisone cream etc.)	No	1
Special Grade Safety Harness for Live Line Work (Size :Medium, Height:5'8"-5'11" & Chest:36" to 40")	No	2
Special Grade Safety Lanyard attachment (Type:1" tubular nylon Web with snaphook& loop end) for fall arrest	No	2
Polymer bucket Hooks	No	5
Tools Bucket- Large(12" x 15")	No	3
Klondlike clamps/Large	No	8

ANNEXURE B: -TESTING INSTRUMENTS/MEASURING INSTRUMENTS (SUITABLE FOR 11 kV & 33 kV)

Leakage Current Clamp Meter (0-300µA/3mA/30mA)- CT diameter 35 mm	No	1
Insulating Stick Tester	No	1
HVClampMeterwithHarmonicsMeasurement,1-3000A(Type U, Rating: Class 4,CT inside Diameter min. 50 mm)	No	1
Live-Line Insulator Weak/FaultyDetector	No	1
Contact Voltage Detector (415 V- 36 kV) Sunrise link for universal head attachment with FRP Hotsick Voltage detection levels 11kV & 33 kV	No	1
Temperature & Humidity Meter (Temperature	No	1

